

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office Las CrucesLease No. 070516-AUnit E

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Artesia, N. Mex. March 23, 1959Well No. Smith #1 Federal 2300.1 is located 125 ft. from [N] line and 326.7 ft. from [E] line of sec. 4

SW NW Sec. 4 125 27E NMPM
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat Chaves New Mexico
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3681 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

April 6, 1959.

The above described well was drilled to a depth of 845 ft. No water zones were encountered with the exception of possible sulphur water at approximately 800 ft. The well was drilled with rotary rig and the hole was full of heavy mud. There was no pipe run in this well.

Oral permission was granted by Mr. Knauf of USGS to plug this well on April 2, 1959 and was plugged same date. It was plugged at 750 ft with 12 sacks of cement back to approximately 675 ft. Plugged with 12 sacks of cement at 250 ft, back to approximately depth of 175 ft. Top plugged with 3 sacks to approximately 18 ft.

Well was marked with 4 1/2 in. pipe with location stamped on pipe. Pits now in process of being filled as of this date.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Raymond Smith (Operator)Address 1306 W. 3rdRoswell, N.M.By Raymond Smith
Operator

Title _____

Inspected by Knauf on 6/2/59