

NO. OF COPIES RECEIVED	8
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	6

RECEIVED

NEW MEXICO OIL CONSERVATION COMMISSION
MAR 2 1966

O. C. C.
ARTESIA, OFFICE

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. E-9798
7. Unit Agreement Name
8. Farm or Lease Name State "CS"
9. Well No. 1
10. Field and Pool, or Wildcat Wildcat
12. County Chaves

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- DRY HOLE
2. Name of Operator Ernest A. Hanson
3. Address of Operator P. O. Box 1515, Roswell, New Mexico
4. Location of Well UNIT LETTER M, 660 FEET FROM THE South LINE AND 660 FEET FROM THE West LINE, SECTION 12, TOWNSHIP 12-S, RANGE 27-E, NMPM.
15. Elevation (Show whether DF, RT, GR, etc.) 3808'

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

The captioned well was plugged and abandoned in the following manner:

The 5-1/2" casing was shot-off and pulled from 1600'. Cement plugs were set with tubing in heavy mud at the following intervals:

Set 25 sx. cmt. plug @ 2134-2353' to cover perfs. 2195-2313'.
Set 25 sx. cmt. plug @ 1600' to cover shot-off 5-1/2" csg.
Set 5 sx. cmt. plug @ surface.

A regulation dry hole marker was erected and the location cleaned.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Henry P. Schubert TITLE Geologist DATE 2/21/66

APPROVED BY W. A. Gressitt TITLE OIL AND GAS INSPECTOR DATE JUN 15 1966

CONDITIONS OF APPROVAL, IF ANY: