

**DUPLICATE**

# NEW MEXICO OIL CONSERVATION COMMISSION

## MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission District Office within ten days after the work specified is completed. It should be signed and filed as a report on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL	<input checked="" type="checkbox"/>		

January 22, 1952

Roswell, New Mexico

Date

Place

Following is a report on the work done and the results obtained under the heading noted above at the

**Malco Refineries, Inc.**

**C. F. Waller**

Well No. 1 in the

Company or Operator

Lease

**SE, NE**

of Sec. 35

T. 12 S

R. 28 E

N. M. P. M.,

**'Wildcat'**

Pool

**Chaves**

County.

The dates of this work were as follows:

Notice of intention to do the work was (~~was not~~) submitted on Form C-102 on January 19, 19 52  
and approval of the proposed plan was (~~was not~~) obtained. (Cross out incorrect words.)

### DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

This well was permanently plugged w/cement as follows; w/ last plug in place waiting on cement @ 10:30 P.M. January 20, 1952.

Plug #1 (Water Zone & Btm) 25 sax regular cement calculated to fill 7 7/8" hole  
8739-8820 (TD)

Plug #2 (Water zone) 25 sax regular cement calculated to fill 7 7/8" hole 3034-3124'.

Plug #3 (Water zone) 25 sax regular cement calculated to fill 7 7/8" hole 2429-2510'.

Plug #4 (Water zone) 15 sax regular cement calculated to fill 7 7/8" hole and 8 5/8" casing - 1951-2000'.

Plug #5 (Surface plug) 25 sax w/4" surface marker.

All cement slurries 15-16 #/gal. w/ 10#/gal. drilling mud in the hole.

Witnessed by Burton Veteto  
Name

Malco Refineries, Inc. Geol. Engineer  
Company Title

APPROVED:  
OIL CONSERVATION COMMISSION

Ray Yankovich  
Oil & Gas Inspector Name  
Title

Date

19

I hereby swear or affirm that the information given above is true and correct.

Name Burton Veteto

Position Geological Engineer

Representing Malco Refineries, Inc.  
Company or Operator

Address Box 660, Roswell, New Mexico

1. *Journal of the American Medical Association*, 1997; 278: 1025-1030.

$\frac{1}{2} \times 100 = 50$