


DUPLICATE

RECEIVED
OCT 15 1946

FORM C-105

N

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico



AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

J. O. Wood Company or Operator
Cortez, Colorado Address
J. L. Green Well No. 1 in SW 1/4 of Sec. 7, T. 7S
29E, N. M. P. M., Wilcoast Field, Chavis County.
Well is 3300 feet south of the North line and 3300 feet west of the East line of Sec. 7-T7S-R29E
If State land the oil and gas lease is No. Assignment No.
If patented land the owner is J. L. Green, Address Roswell N.M.
If Government land the permittee is, Address
The Lessee is, Address
Drilling commenced Sept. 3rd, 1941 Drilling was completed Dec. 1942
Name of drilling contractor Own tools, Address
Elevation above sea level at top of casing feet.
The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from None to No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 600 to 640 feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
15				80					
12 1/2				400					
10				643					
9				930					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
	All casing				heavy mud	

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
none						

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet
Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing, 19
The production of the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
Rock pressure, lbs. per sq. in.

EMPLOYEES

J. O. Wood, Driller Lu Doyle, Driller
Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 10th day of October, 1946
Juanita Denton Notary Public
My Commission expires August 28, 1949

Artesia N.M. Oct-10-1946
Place Date
Name Mac T. Anderson
Position
Representing J. O. Wood Company or Operator
Address Artesia N.M.

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	10	10	Soil
10	200	190	Red bed
200	360	160	Sandy shale
360	640	280	Red Sand Water 600-40
640	800	160	Shale
800	1275	475	Anhydrite
1275	2115	840	Shale
2115	2165	50	gray lime TD
THIS LOG IS MADE FROM SCOUT REPORTS			