

SERIAL NUMBER

LEASE OR PERMIT TO PROSPECT
MM-017510

LOG OF OIL OR GAS WELL

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed J.L. Suttle
Date May 17, 1956 Title Chief Clerk

The summary on this page is for the condition of the well at above date.

Commenced drilling April 25, 1956. Finished drilling May 8, 1956.

(Denote gas by G)

No. 1, from to No. 4, from to
 No. 2, from to No. 5, from to
 No. 3, from to No. 6, from to

No. 1, from 1672 to 1683 No. 3, from 1684 to 1695
No. 2, from 1683 to 1684 No. 4, from 1695 to 1700

[illegible][illegible]

Heaving plug—Material Length Depth set

Adapters—Material Size

[illegible]

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from 0 feet to 1683 feet, and from _____ feet to _____ feet

DATES	
May 17, 1956	Dry, plugged and abandoned Put to producing May 9, 1956

The production for the first 24 hours was barrels of fluid of which% was oil;% emulsion;% water; and% sediment. Gravity, °Bé.

4 hr. Bailer Test, bailed 1-1/4 cbl. Salt Water per hour, 1.0 oil or gas.

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

<u>O. V. Gentry</u>	, Driller	<u>J. C. Alexander</u>	, Driller
<u>J. E. Wilcox</u>	, Driller		, Driller

FROM—	TO—	TOTAL FEET	FORMATION
0	246	246	Red shale and sand (Dewey Lake)
246	910	664	Anhydrite, salt, red sand and shale
910	1050	140	Red sand and red shale
1050	1662	612	Anhydrite, red shale, red sand
1662	1683	21	Red sand
	1683		TOTAL DEPTH

[OVER]

FORMATION RECORD--Continued

[illegible]

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidelacked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

HISTORY OF OIL OR GAS WELL

16-43094-2 U. S. GOVERNMENT PRINTING OFFICE

10-11-68

DEFLECTION TESTS

FOOTAGE	DEGREES
270	0
700	$1/4$
755	$1/4$
901	0
925	$3/4$
960	1
1155	$1-1/2$
1290	1
1360	$3/4$