Form C-101

MEXICO OIL CONSERVATION (

MMISS

SEP 29 1059

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

ser 29 1952

Nestce must be given to the Oil Conservation Commission or its proper agent and appropriate of the District of the Burney begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes with the returned to the sender. Submit this notice in triplicate. One copy will be returned following armones. See additional instructions in Rules and Regulations of the Commission.

		HODDS, I	New Mexico	· · · · · · · · · · · · · · · · · · ·	September 29	1952
OIL CONSE Santa Fe, Ne	RVATION Cow Mexico,	COMMISSION,	Place	Đ		Date 05-00431
Gentlemen:						
You	are hereby	notified that it is or	ur intention to com	mence the drillir	ng of a well to be kno	Wn eq
	J. Dor	Hudgens, Inc.	Sta	te D	1	SE/L NW/L
	Com	pany or Operator		Lease Well	No. 1	in <u>35/4 Na/4</u>
of Sec. 32	, <u>r13</u>	88 , _R 29E	N. М., Р. М		Field, Chaves	
	N	The well	is 1980 feet	MAN of	the North line an	JORO 4-4
		East MANNEY	of the West	line of Sec	. 32, Twp. 13S	Pos 202
					al subdivision lines.	
+		If state land			Assignment 1	
	 	If patented Address	land the owner is			
		If governme	ent land the nermit	tee is		
		Address				
XXXXX	20070000	The lessee i	s J. E	on hudgens.	Inc.	
<u> </u>			Вох			
	40 ACRES				t as follows:	·····
LOCATE WEL	Cable to	ols we propose	to drin wen with th	ming equipmen	t as iollows:	
We propose	to use the f	ollowing strings of	ling bond to S casing and to land			
Size of Hele	Size of Casing				as indicated:	Sacks
Size of	Size of	ollowing strings of	casing and to land	or cement them	as indicated:	
Size of Hole	Size of	ollowing strings of	casing and to land	or cement them	as indicated:	Sacks
8ine of Hole 15# 12-1/2#	Size of Casing	Weight Per Foot	casing and to land New or Second Hand	Depth	Landed or Cemented	Sacks Coment
Size of Hole	Size of Casing	Weight Per Foot 50#	New or Second Hand	Depth 200†	Landed or Cemented	Secks Cement
8ize of Hele 15# 12-1/2# 8-1/4#	Size of Casing 12-1/24 104 74	Weight Per Foot 50# 32# 20#	New or Second Hand S.H. S.H. New	200† 800† 2200†	Landed or Comented Cemented Landed Cemented Cemented Cemented	Secks Cement 50 Muded 100
8ize of Hole 15" 12-1/2" 8-1/4"	Size of Casing 12-1/2** 10** 7** the above p	Weight Per Foot 50# 32# 20#	New or Second Hand S.H. S.H. New	Depth 200† 800† 2200†	Landed or Cemented Cemented Landed Landed Cemented Landed Cemented	Secks Cement 50 Muded 100
Size of Hole 15" 12-1/2" 8-1/4" If changes in that the first	Bise of Casing 12-1/2** 10** 7** the above pproductive oi	Weight Per Foot 50# 32# 20#	New or Second Hand S.H. S.H. New	Depth 200† 800† 2200†	Landed or Cemented Cemented Landed Cemented Landed Cemented	Secks Cement 50 Muded 100
Size of Hole 15" 12-1/2" 8-1/4" If changes in that the first	Bise of Casing 12-1/2** 10** 7** the above pproductive oi	Weight Per Foot 50# 32# 20#	New or Second Hand S.H. S.H. New	Depth 200† 800† 2200†	Landed or Cemented Cemented Landed Landed Cemented Landed Cemented	Secks Cement 50 Muded 100
8ize of Hole 15" 12-1/2" 8-1/4"	Bise of Casing 12-1/2** 10** 7** the above pproductive oi	Weight Per Foot 50# 32# 20#	New or Second Hand S.H. S.H. New	Depth 200† 800† 2200†	Landed or Cemented Cemented Landed Landed Cemented Landed Cemented	Secks Cement 50 Muded 100
Size of Hole 15" 12-1/2" 8-1/4" If changes in that the first	Bise of Casing 12-1/2** 10** 7** the above pproductive oi	Weight Per Foot 50# 32# 20#	New or Second Hand S.H. S.H. New e we will notify you occur at a depth of	Depth 200† 800† 2200† su before cement about 2200	Landed or Cemented Cemented Landed Landed Cemented Landed Cemented	Secks Cement 50 Muded 100
Size of Hole 15" 12-1/2" 8-1/4" If changes in that the first Additional info	Size of Casing 12-1/2* 10** 7** the above p productive oil formation:	Weight Per Foot 50# 32# 20#	New or Second Hand S.H. S.H. New e we will notify yo occur at a depth o	Depth 200 800 2200 ou before cemen f about 2200	Landed or Cemented Cemented Landed Cemented Landed Cemented ating or landing casis feet.	Secks Cement 50 Muded 100
Size of Hole 15" 12-1/2" 8-1/4" If changes in that the first	Size of Casing 12-1/2* 10** 7** the above p productive oil formation:	Weight Per Foot 50# 32# 20#	New or Second Hand S.H. S.H. New e we will notify yo occur at a depth o	Depth 200† 800† 2200† 2200† bu before cement about 2200 ely yours, Don Hudgens	Landed or Cemented Cemented Landed Cemented Landed Cemented ting or landing casin feet.	Secks Cement 50 Muded 100
Bise of Hole 15" 12-1/2" 8-1/4" If changes in hat the first Additional info	Size of Casing 12-1/2* 10** 7** the above p productive oil formation:	Weight Per Foot 50# 32# 20#	New or Second Hand S.H. S.H. New e we will notify yo occur at a depth o	Depth 200† 800† 2200† 2200† bu before cement about 2200 ely yours, Don Hudgens	Landed or Cemented Cemented Landed Cemented Landed Cemented ating or landing casis feet.	Secks Cement 50 Muded 100
Size of Hole 15" 12-1/2" 8-1/4" If changes in that the first Additional info	Size of Casing 12-1/2* 10** 7** the above p productive oil formation:	Weight Per Foot 50# 32# 20#	New or Second Hand S.H. S.H. New e we will notify yo occur at a depth o	Depth 200† 800† 2200† 2200† bu before cement about 2200 ely yours, Don Hudgens	Landed or Cemented Cemented Landed Cemented Landed Cemented ating or landing casis feet.	Secks Cement 50 Muded 100
Bise of Hole 15" 12-1/2" 8-1/4" If changes in hat the first Additional info	Size of Casing 12-1/2* 10** 7** the above p productive oil formation:	Weight Per Foot 50# 32# 20#	New or Second Hand S.H. S.H. New e we will notify yo occur at a depth o	Depth 200 800 2200 pu before cement f about 2200 Puly yours, Don Hudgens	Landed or Cemented Cemented Landed Cemented Landed Cemented ating or landing casin feet.	Secks Cement 50 Muded 100
Bise of Hole 15" 12-1/2" 8-1/4" If changes in hat the first; Additional info	Size of Casing 12-1/2** 10** 7** the above p productive of formation:	Weight Per Foot 50# 32# 20#	New or Second Hand S.H. S.H. New e we will notify yo occur at a depth of the second J. By Positio	Depth 200 800 2200 Pu before cement about 2200 Pulled yours, Don Hudgens	Landed or Cemented Cemented Landed Cemented Landed Cemented Ating or landing casis feet. S. Inc. company or Operator Landed Cemented	Secks Cement 50 Muded 100
15" 12-1/2" 8-1/4" If changes in that the first additional information and the first additional information additional information and the first additional information additional information addit	Size of Casing 12-1/2** 10** 7** the above p productive of formation:	Weight Per Foot 50# 32# 20# lan become advisabl l or gas sand should	New or Second Hand S.H. S.H. New e we will notify yo occur at a depth of the second J. By Positio	Depth 200 800 2200 Purple of about 2200 Pur	Landed or Cemented Cemented Landed Cemented Landed Cemented ating or landing casin feet.	Secks Cement 50 Muded 100

in the second of the second of

J. ___ ... , d, et ___ ... The Book with the street of

and the second of the second o

The second secon

en de la composition La composition de la La composition de la

May your Survey

ROSWELL MAP & BLUEPRINT COMPANY

SURVEYOR'S CERTIFICATE

I, Aubrey B. Gregg, Shereby certify that an actual to the premises described as: Oil Well Site in the R 29 E, N. M. P. M. and that the lines were found an and plat are true and correct	"center" of the	e SEANWA of Section the accompanying plat, and t	32, T 13 S,
Date: September 19		S urve	
Field Book _90			ficate No. 334
Survey made for J. Don at request of himself			ne tage Radia de
Party: R. T. West C. Holdridge C. Carlson	-	A RECUENT	MEX
	R291	£	1
7. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	al'W	5 3.2 95	Scale: 1"=1000"
Feund Brass Cap		52.00'	735 MS/0/N
Found Brass		5280'	