


SCOUT REPORT NEW MEXICO

OIL CONSERVATION COMMISSION



Company Grator-Caudill & French
 Farm Name C.R. Snice Well No. 1-A
 Land Classification P.
 Sec. 1 Twp. 4S Range 29E County Chaves
 Feet from Line: 635 N. S. 635 E. W.
 Elevation _____ Method _____
 Contractor H.F. Cypher Scout _____
 Spudded 7-6-39 Completed _____ Initial Production _____
 Bond Status _____

Casing and Cementing Record Amount

Size	Feet	Inches	Sax Cement
1 1/2	20		5
1 1/2	1542		100
2 1/4	3370		5

Was temp. Abon. ACID RECORD
 Gals. _____

Prod.	Date
Prod.	Date
Top Pay	Total Depth

SHOOTING RECORD

No. of Quarts	Shot at	Feet
No. of Quarts	Shot at	Feet

Date		Date	
7-6	TD 3686 S	OCT 4 - 1939	<u>The Report</u>
7-12	S.D. Orders	OCT 11 1939	<u>TD 3686 S</u>
7-19	no report		<u>TD 3686 S</u>
8-2	TD 3686 S	OCT 18 1939	<u>TD 3686 S</u>
	TD 3686 S	OCT 25 1939	<u>TD 3686 S</u>
8-16	TD 3686 S	11-1	<u>TD 3686 S</u>
8-23	TD 3686 S		<u>TD 3686 S</u>
9-3	TD 3686 S	NOV 3 - 1939	<u>TD 3686 S</u>
9-6	TD 3686 S		<u>TD 3686 S</u>
9-13	TD 3686 S	11-15	<u>TD 3686 S</u>
	lost bit 380 galls drill	NOV 22 39	<u>TD 3686 S</u>
	Preparing cement 84	11-25	<u>TD 3686 S</u>
	3336-70		<u>TD 3686 S</u>
SEP 20 1939	<u>TD 3686 S</u>	DEC 6 39	<u>TD 3686 S</u>
SEP 27 1939	<u>TD 3686 S</u>	DEC 1 39	<u>TD 3686 S</u>
	<u>by 3315</u>		<u>SD Repair</u>


LOG

Depth	Formation	Depth	Formation	Depth	Formation
DEC 20 '39	✓				
DEC 28 '39	✓				
JAN 4 '40	✓				
JAN 10 '40	✓				
JAN 17 '40	✓				
JAN 24 '40	✓				
JAN 31 '40	TD 3686 S 300				
FEB 7 '40	✓				
FEB 14 '40	✓				
FEB 21 '40	✓				
FEB 28 '40	✓				
MAR 6 '40	✓				
MAR 13 '40	✓				
MAR 20 '40	✓				
MAR 27 '40	✓				
APR 3	✓				
APR 10	✓				
APR 17	✓				
APR 24	✓				
MAY 1	✓				
MAY 8	✓				
MAY 15	✓				
MAY 22	✓				
MAY 28	✓				
JUN 5	✓				
JUN 12	✓				
JUN 18	✓				
JUN 26	✓				
JUL 2	✓				
JUL 9	✓				
JUL 16	✓				
JUL 23	✓				
JUL 30	✓				
AUG 6	✓				
AUG 14	✓				
AUG 21	✓				
9-25	Lump Aband				

SCOUT REPORT NEW MEXICO

OIL CONSERVATION COMMISSION

30-005-01225



Company Grastorf & Caudill
 Farm Name C.R. Smith Well No. A-1
 Land Classification Government Patl
 Sec. 1 Twp. 4 Range 29 County Chaves
 Feet from Line: 635 N. 635 S. 635 E. W.
 Elevation _____ Method _____
 Contractor _____ Scout _____
 Spudded _____ Completed _____ Initial Production _____
 Bond Status _____

Casing and Cementing Record Amount

Size	Feet	Inches	Sax Cement
10" 3/4	1542		100
8" 3/4	2370		Set

Gals.

Prod.	Date
Prod.	Date
Top Pay	Total Depth

SHOOTING RECORD

No. of Quarts	Shot at	Feet
No. of Quarts	Shot at	Feet

Date		Date	
MAY 3 - 1938	TD 1580 x 4 shells	AUG 2 - 1938	# 3370 L
5-9	7 casing	AUG 5 - 1938	TD 2000
	NK		
MAY 17 1938	TD 1600 x		
MAY 24 1938	R U std Tool		
	Q 1700 x 4 shells		
5-31	Q 2475 L NR		
JUN 7 - 1938	Q 2900 L		
JUN 14 1938	Q 3150 L		
JUN 21 1938	TD 3335 L min casing		
JUN 20 1938	TD 3335 S/		
	W O C 39.		
JUL - 1938	TD 3335 L casing on ground		
JUL 12 1938			
JUL 19 1938	Q 3390 L		
JUL 26 1938	Q 3445 L		
	4 E - 800 ft - 1/2		

LOG

[illegible]