

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	2
LAND OFFICE	
TRANSPORTER	OIL
	GAS
PROBATION OFFICE	
OPERATOR	

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLYL. 34
(Lease)

Avila-Jones-Journal Publishing Company
(Company or Operator)

Well No. 2-1, in 1/4 of 1/4, of Sec. 3, T. 11-S, R. 28E, NMPM.
Ident Pool, Cloves County.

Well is 210 feet from West line and 350 feet from North line
of Section 34. If State Land the Oil and Gas Lease No. is

Drilling Commenced 1-3, 1963. Drilling was Completed 1-3, 1963.

Name of Drilling Contractor Conroy Tools

Address

Elevation above sea level at Top of Tubing Head 360. The information given is to be kept confidential until
19

OIL SANDS OR ZONES

No. 1, from to No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 115 to 134 feet.
No. 2, from 169 to 181 feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	24	New	281.17	Box End			Surface

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8-5/8"	100	129	Millburton	8.00	

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 2,183 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing, 19

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.		T. Devonian.		T. Ojo Alamo.	
T. Salt.	131	T. Silurian.		T. Kirtland-Fruitland.	
B. Salt.	233	T. Montoya.		T. Farmington.	
T. Yates.	333	T. Simpson.		T. Pictured Cliffs.	
T. 7 Rivers.		T. McKee.		T. Menefee.	
T. Queen.	1330	T. Ellenburger.		T. Point Lookout.	
T. Grayburg.		T. Gr. Wash.		T. Mancos.	
T. San Andres.	1336	T. Granite.		T. Dakota.	
T. Glorieta.		T.		T. Morrison.	
T. Drinkard.		T.		T. Penn.	
T. Tubbs.		T.		T.	
T. Abo.		T.		T.	
T. Penn.		T.		T.	
T. Miss.		T.		T.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	300	300'	Red ls., s. & some s. salt	1147	1190	44'	br. fg. ls. 30' with slight stain, tr. of anhydrite
300	360	60'	anhydrite, gray to white				
360	580	220'	sd. red ls. with say dolomite stris	1190	1950	360'	Tan mbr., crystaline mottled dolomite br. dolomite
580	600	20'	sd.				
600	800	200'	White to light gray anhydrite	1950	2100	150'	brk br. fine crystaline dolomite very slight oil stain
800	1150	350'	Red shal. to red ls. so some pale green s. ls.	2100	2183	183'	Tan-brn finely crystaline dolomite some ls., chert inclusions
1150	1181	31'	Red to br. fg. sd s. stain				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far
as can be determined from available records.

Company or Operator. Address. (Date)
Name. Position or Title.