CTING DISTE FNGINEER

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Budget Bureau	No.	42-R358.4.
orm Approved.		

Land Office New Mexico

Lease No. 10 (00 100

	,			* N %	-74
-3		-11	5-	INA	21
ø	U	00	~	100	21

SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. SUBSEQUENT REPORT OF ABANDONMENT. SUBSEQUENT REPORT OF ABANDONMENT. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. SUBSEQUENT REPORT OF ABANDONMENT. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERI			1					
SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT				SUBSEQUENT RE	PORT OF WAT	ER SHUT-OFF		
Subsequent report of Re-Drilling on Repair well. Souther of intention to Shoot or Actionze. Notice of Intention to Shoot or Action Cashing. Notice of Intention to Shoot or Abandon well. (Indicate Above by Check Mark Nature of Report, Notice, on other Data) RECE, Wild (Shoot) (State or Territor) Now Maxico State or Territor) Plan to drill with rotary tools to test the Shoot Andrew for Intention or Action of Shoot along the Shoot shoot in the Commercial pay is encountered will core San Andrew Pay Zone. If commercial pay is encountered will run 4-1/2" production string and coment with approximately Shoot sacks of cement. Lunderstand that this plan of work must receive approval in writing by the Coological Survey before operations may be coming ompany I understand that this plan of work must receive approval in writing by the Coological Survey before operations may be comming of the Commercial Survey before operations may be comming of the Coological Survey before operations may be comming of the Coological Survey before operations may be comming the Commercial Survey before operations may be comming the Commercial Survey before operations may be commended. Lunderstand that this plan of work must receive approval in writing by the Coological Survey before operations may be commended. Lunderstand that this plan of work must receive approval in writing by the Coological Survey before operations may be commended. Lunderstand that this plan of work must receive approval in writing by the Coological Survey before operations.				4				
SUBSEQUENT REPORT OF ABANDONNENT. SUBSEQUENT REPORT OF ABANDONNENT. SUBSEQUENT REPORT OF ABANDONNENT. SUPPLEMENTARY WELL HISTORY. NOTICE OF INTENTION TO SHOOD WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (IND			İ	il .				
Supplementary well history (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BATCH OF MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BATCH OF MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BATCH OF MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BATCH OF MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BATCH OF MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BATCH OF MARK NATURE OF REPORT, NOTICE, OR OTHER DATA (INDICATE BATCH OF MARK NATURE OF REPORT, NOTICE, OR OTHER DATA (INDICATE BATCH OF MARK NATURE OF REPORT, NOTICE, OR OTHER DATA (INDICATE BATCH OF MARK NATURE OF REPORT, NOTICE, OR OTHER DATA (INDICATE BATCH OF MARK NATURE OF REPORT, NOTICE, OR OTHER D								
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT NATURE OF RE				II.				, ,
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Solution Sol				SUPPLEMENTARY	WELL HISTOR	₹Ү		
The first of the derick floor above sea level is located depths to objective sands; and all other important proposed work. Plan to drill with rotary tools to test the sea fordress frametion at approximately 1400'. If run 7" casing to approximately 190' and cement with a volume sufficient to circulate to surface. Will core San Andres Pay Zone. If commercial pay is encountered will run 4-1/2" production string and cement with approximately 50 sacks of cement. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be down. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be down. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be down. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be down. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be down. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be down. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be down. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be down. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be down.		N WELL						
Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations and a property of the service	(INDIC	CATE ABOVE BY CHECK M	ARK NAT	URE OF REPORT, N	OTICE, OR OTH	IER DATA)		
Wild Chaves (County or Subdivision) Chaves (State or Territor) Proceed as the elevation of the derrick floor above sea level is 1.1.1 ft. DETAILS OF WORK The ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cerring points, and all other important proposed work) Plan to drill with rotary tools to test the sea andreas formation at approximately 1400. If run 7" casing to approximately 100° and cement with a volume sufficient to circulate to surface. Will core San Andres Pay Zone. If commercial pay is encountered will run 4-1/2" production string and cement with approximately 50 sacks of cement. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded to the control of the control			<u>-</u>		3rch	_5		, 1953
Wild Chaves (County or Subdivision) Chaves (State or Territor) Proceed as the elevation of the derrick floor above sea level is 1.1.1 ft. DETAILS OF WORK The ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cerring points, and all other important proposed work) Plan to drill with rotary tools to test the sea andreas formation at approximately 1400. If run 7" casing to approximately 100° and cement with a volume sufficient to circulate to surface. Will core San Andres Pay Zone. If commercial pay is encountered will run 4-1/2" production string and cement with approximately 50 sacks of cement. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded to the control of the control	ell Nois loca	ated <u>40000</u> ft. fr	om {	line and 2	<u>3 , ft.</u> l	from (T)	line of se	c35
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cerring points, and all other important proposed work) Plan to drill with rotary tools to test the sea Andres formation at approximately 1400. If run 7" casing to approximately 100° and cement with a volume sufficient to circulate to surface. Will core San Andres Pay Zone. If commercial pay is encountered will run 4-1/2" production string and cement with approximately 50 sacks of cement. Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command.	,			,		()		
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cerring points, and all other important proposed work) Plan to drill with rotary tools to test the sea Andres formation at approximately 1400. If run 7" casing to approximately 100° and cement with a volume sufficient to circulate to surface. Will core San Andres Pay Zone. If commercial pay is encountered will run 4-1/2" production string and cement with approximately 50 sacks of cement. Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command.	(½ Sec. and Sec. No.)				(Meridian)		KEC	EIL
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cerring points, and all other important proposed work) Plan to drill with rotary tools to test the sea Andres formation at approximately 1400. If run 7" casing to approximately 100° and cement with a volume sufficient to circulate to surface. Will core San Andres Pay Zone. If commercial pay is encountered will run 4-1/2" production string and cement with approximately 50 sacks of cement. Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command that this plan of work must receive approval in writing by the Geological Survey before operations may be command.	Wild	Chayas	\$		Ns	w Max	ico	· ' V
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cerring points, and all other important proposed work) Plan to drill with rotary tools to test the sea fundres formation at approximately 1400°. Will run 7" casing to approximately 100° and cement with a volume sufficient to circulate to surface. Will core San Andres Pay Zone. If commercial pay is encountered will run 4-1/2" production string and cement with approximately 50 sacks of cement. Plan to drill with rotary tools to test the sea fundres formation at approximately 100° and cement with a proximately 50 sacks of cement. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded by the company. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded by the company. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded by the company. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded by the company. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded by the company.	(Field)	(Cour	nty or Sul	odivision)		(State or	rerrito x	1 10
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cerring points, and all other important proposed work) Plan to drill with rotary tools to test the sea fundres formation at approximately 1400°. Will run 7" casing to approximately 100° and cement with a volume sufficient to circulate to surface. Will core San Andres Pay Zone. If commercial pay is encountered will run 4-1/2" production string and cement with approximately 50 sacks of cement. Plan to drill with rotary tools to test the sea fundres formation at approximately 100° and cement with a proximately 50 sacks of cement. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded by the company. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded by the company. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded by the company. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded by the company. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded by the company. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded by the company.	he elevation of the derric	k floor above sea	level :	s37.0.2 ft.				1 1963
Plan to drill with rotary tools to test the sea Andres formation at approximately 1400'. Illi run 7" casing to approximately 1600' and cement with a volume sufficient to circulate to surface. Will core San Andres Pay Zone. If commercial pay is encountered will run 4-1/2" production string and cement with approximately 50 sacks of cement. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations may be commanded by the Geological Survey before operations of the Geological Survey before operations and the Geological Survey befo	in the desire						ARTO. L	C. n
Plan to drill with rotary tools to test the destandres formation at approximately 1400'. Fill run 7" casing to approximately 190' and dement with a volume sufficient to directlate to surface. Will core San Andres Pay Zone. If commercial pay is encountered will run 4-1/2" production string and dement with approximately 50 sacks of dement. Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work must receive approval in writing by the Geological Survey before operations that has plan of work mus								" OFFICE
at approximately 1400. Ill run 7" casing to approximately 190 and cement with a volume sufficient to circulate to surface. Will core San Andres Pay Zone. If commercial pay is encountered will run 4-1/2" production string and cement with approximately 50 sacks of cement. Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations and the Geological Survey	tate names of and expected depths	to objective sands; show ing points, and	v sizes, w all other	eights, and length important propos	s of proposed ed work)	casings; indi	cate mudding	jobs, cement-
at approximately 1400. Ill run 7" casing to approximately 190 and cement with a volume sufficient to circulate to surface. Will core San Andres Pay Zone. If commercial pay is encountered will run 4-1/2" production string and cement with approximately 50 sacks of cement. Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations and the Geological Survey	Plan to drill s	with rotary to:	ola to	test the i	les Andr	as form	>†inn	
100° and cement with a volume sufficient to circulate to surface. Will core San Andres Pay Zone. If commercial pay is encountered will run 4-1/2" production string and cement with approximately 50 sacks of cement. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations and the Geological Survey before operations are commented by the Geological Survey before operations are commented by the Geological Survey before operations and the Geological Survey before operations are commented by the Geological Survey by the Geological Survey by the Geological Survey by the Geological Survey								
Will core San Andres Pay Zone. If commercial pay is encountered will run 4-1/2" production string and cement with approximately 50 sacks of cement. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations and the Geological Survey by the Geological Survey before operations and the Geological Survey before operations and the Geological Survey by the Geol		-				•	~	
will run 4-1/2" production string and cement with approximately 50 sacks of cement. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations and the Geological Survey before operations are considered by the Geological Survey before operations and the Geological Survey by the G								
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be command the survey before operations of								
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations and the Ge			D L: III	g and Cent	GITE ASTER			
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations and th	sacks of Cem	JIII.					~ r	u Eall
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations and th						TO TO	四周川	MPD
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations may be commented by the Geological Survey before operations and th						吊層	M 12	
Roswell, New Mexico By Arrange Brown								
Roswell, New Mexico By Arrange Brown								ווומניה
Roswell, New Mexico By Arrange Brown	I madenie ad they this steer the	ul	.1 (.16.			SAT SOUN
Roswell, New Mexico By Arrange Brown	anderstand that this plan of wo	ra must receive approva	u in writi	ng by the Geologi	cal Survey bef	ore operatie	ns inay be con	Will HEXIC
Roswell, New Mexico By Arrange Brown	ompany						JCA F John	4.~
Roswell, New Mexico	ddroes Nijekann Da	+ så			,			
	udiessINICKSOR PIO	LG1			-			
Title	kosweil, New Me	×ico		By	·	·////*		<u> </u>
I ILIC NAMEN				Title)wan ear		

NUMBER OF COPIE	SRECEIV	ED	
DIS	TRIBUTIO	N	
SANTA FE			
FILE			
U.S.G.S.			
LAND OFFICE			
	OIL		
TRANSPORTER	GAS		
PRORATION OFFIC	E		

NEW MEXICO OIL CONSERVATA A COMMISSION

FORM C-128 Revised 5/1/57

WELL LOCATION AND ACREAGE DEDICATION PLAT

SECTION A Case County	TRANSPORTER GAS			ZEE IN	STRUCTIO	ONS FO	R COMP	LETING THI	S FORM ON	THE REVERS	E SIDE
Operator Lease Lease Lease Section State Section PRORATION OFFICE OPERATOR											
Deservor Lease											
Unit Letter Section Township 6-5 Range County CHAVES CHAVES Actual Footage Location of Well: 2310 feet from the SOUTH line and 2310 feet from the WEST line Acres Acres Acres 1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES											
Actual Footage Location of Well: 2310' feet from the SOUTH line and 2310' feet from the WEST line Fround Level Elev. Pool Dedicated Acreage: Actual Footage Location of Well: 2310' feet from the SOUTH line and 2310' feet from the WEST line Actual Footage Location of Well: Actual Footage Location of Well: 2310' feet from the WEST line Actual Footage Location of Well: A	- Lordon					LE	.ase				well No.
Actual Footage Location of Well: 2310' feet from the SOUTH line and 2310' feet from the WEST line Fround Level Elev. Pool Dedicated Acreage: Actual Footage Location of Well: 2310' feet from the SOUTH line and 2310' feet from the WEST line Actual Footage Location of Well: Actual Footage Location of Well: 2310' feet from the WEST line Actual Footage Location of Well: A	Unit Letter	Section		Towner:	<u> </u>		Razza		Const	 	
Actual Footage Location of Well: 2310' feet from the SOUTH line and 2310' feet from the WEST line fround Level Elev. 3789.7' Producing Formation Pool Company Line the Operator the only owner in the dedicated acreage outlined on the plat below? YES NO ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for binacily of for himself and another. (53-3-29 (e) MMSA 1935 Comp.) If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES NO If answer is "yes," Type of Consolidation If the answer to question two is "no," list all the owners and their respective interests below: Denier SECTION B CERTIFICATION Libersbry entity that the information in SECTION A above is true and complete to the best of my knowledge and begind. Name Position Company Date I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of acrtaal surveys and bely acreased and correct to the best of my knowledge and one the plat in SECTION B was plotted from field notes of acrtaal surveys and bely acreased and correct to the best of my knowledge and belief. Date Surveyed and by acreased the same is true and correct to the best of my knowledge and belief. Date Surveyed and by acreased the same is true and correct to the best of my knowledge and belief.	K			wasiii	_		Lange		County	Otto:	
2310 * feet from the SOUTH line and 2310 * feet from the WEST line Stound Level Elev. 73789.7 * Producing Formation Pool Dedicated Acreage: Acres Acres 1. In the Operator the only owner in the dedicated acreage outlined on the plat below? YES	Actual Footage Lo	ocation o			0-3			20-6	<u> </u>	CHAVES	
Actes 3789.71 Producing Formation Post 1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES NO ("Ouner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for hamself or for himself and another. (63-3-29 (e) NMSA 1935 Comp.) I. the canswer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES NO I. Hanswer is "yes," Type of Consolidation I. the enswer to question two is "no," list all the owners and their respective interests below: Demonstrated to the information in SECTION B SECTION B CERTIFICATION Liberabry vertify that the information in SECTION A above it are and complete to the boar of any knowledge and basief. Name Position Company Date 1 hereby certify that the well location shown on the plat in SECTION 8 was plotted from dones of acreal surveys made by me or under my supervision, and that the same is true and correct to the boar of my knowledge and belief. Date Surveyed March 25, 2 1966. Register sed Producing Formation Equivariant Control to the boar of my knowledge and belief. Date Surveyed March 25, 2 1966. Register sed Producing Formation Equivery and correct to the boar of my knowledge and belief.	2 310''			JUTH	line	and	2310	feet	t from the	latra com	line
Acres Acres Acres Is the Operator the only owner in the dedicated acreage outlined on the plat below? YESNO !"Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (63-3-29 (s) NAS 1935 Comp.). If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YESNO If answer is "yes," Type of Consolidation If the answer to question two is "no," list all the owners and their respective interests below: Dense: Certification Company	Ground Level Elev							100.	trom the		
1. In the Operator the only owner in the dedicated acreage outlined on the plat below? YESNO	3789.7	7 1	Ü								
who has the right to drill into and to produce from my pool and to appropriate the production either for bimself or for bimself and another. (65-3-20 g) e) NMAN 1935 Comp. It has answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES NO If answer is "yes," Type of Consolidation If the answer to question two is "no," list all the owners and their respective interests below: Owner Land Description											
who has the right to drill into and to produce from my pool and to appropriate the production either for bimself or for bimself and another. (65-3-20 g) e) NMAN 1935 Comp. It has answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES NO If answer is "yes," Type of Consolidation If the answer to question two is "no," list all the owners and their respective interests below: Owner Land Description	1. Is the Operator	the only	y owner in t	he dedica	ted acreas	ge outlin	ied on th	e plat below?	YES	NO (("Owner" means the person
another, (65-3-29 (e) NMSA 1935 Comp.) If the answer to question is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YESNO, If answer is "yes," Type of Consolidation Before The service of the servic	who has the rig	ght to dri	ill into and	to produc	e from any	pool an	id to apt	ropriate the p	roduction e	ither for himsel	f or for himself and
wise? YES_NO If answer is "yes," Type of Consolidation If the answer to question two is "no," list all the owners and their respective interests below: Certification	another. (65-	·3 29 (e)) NMSA 1935	Comp.)							
wise? YES_NO If answer is "yes," Type of Consolidation If the answer to question two is "no," list all the owners and their respective interests below: Certification	If the answer t	o questic	on one is "i	10,'' have	the intere	ests of a	ill the o	wners been co	nsolidated	by communitiza	tion agreement or other-
SECTION B CERTIFICATION Libereby vertify that the information in SECTION A above is true and complete to the best of my knowledge and behief. Name Position Company Date I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveyors made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Register and Friedrich Surveyor Land Surveyor Land Surveyor Land Surveyor Land Surveyor	wise? YES	NO .	If	answer is	''yes,'' 1	Type of (Consolid	iation			
SECTION B CERTIFICATION Liberepty certify that the information in SECTION A above is true and complete to the beat of my knowledge and balief. Name Position Company Date I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and cortect to the beat of my knowledge and belief. Date Surveyed March 25, B 1963 Register red Professional Engineer and/or Land Surveyor Advanced by the Said Surveyor March 25, B 1963 Register red Professional Engineer and/or Land Surveyor	3. If the answer t	o questic	on two is "r	io,'' list	all the ow	ners and	their re	spective inte	rests below	:	
SECTION B CERTIFICATION Libereby ertify that the information in SECTION A above is true and complete to the best of my knowledge and ballet. Name Position Company Date I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Registered Fiolessional Engineer and/or Land Surveyor	Owner						I	and Descript	ion		
SECTION B CERTIFICATION Libersby fertify that the information in \$ECTION A above is true and complete to the best of my knowledge and bakief. Name Position Company Date I hereby certify that the well location shown on the plat in \$ECTION B\$ was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, \$1965 Registered Professional Engineer and/or Land Surveyor	·									Spinner.	
SECTION B CERTIFICATION Libersby fertify that the information in \$ECTION A above is true and complete to the best of my knowledge and bakief. Name Position Company Date I hereby certify that the well location shown on the plat in \$ECTION B\$ was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, \$1965 Registered Professional Engineer and/or Land Surveyor								lDå⊨	80 F 1	ME	
I. Levely tettify that the information in SECHON A above is true and complete to the best of my knowledge and babief. Name Position Company Date I hereby cettify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Register red Professional Engineer and/or Land Surveyor										N P (D)	
I. Levely tettify that the information in SECHON A above is true and complete to the best of my knowledge and babief. Name Position Company Date I hereby cettify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Register red Professional Engineer and/or Land Surveyor										7	
I hereby certify that the information in SECHON A above is true and complete to the best of my knowledge and batief. Name Position Company Thereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed, March 25, \$1963. Registered Protessional Engineer and/or Land Surveyor				3 E C I	IUN B		 -		 	1963 CE	RTIFICATION
In SECTION A above is true and complete to the best of my knowledge and belief. Name Position Company Thereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed, March 25, B 1963 Registered Professional Engineer and/or Land Surveyor							ł		TABULY S. P.	1	
Position Company Date I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, 8 1963 Register red Professional Engineer and/or Land Surveyor		i					i	i é ii	m at said		
Position Company Thereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Register red Processional Engineer and/or Land Surveyor		i					- 1				
Position Company Date I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor Apriliance New York March 25 and Surveyor		i			}		1	£340		1	est of my knowledge and
Position Company Date I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor Application	ļ	1					!			bester.	14
Position Company Date I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor Application		ļ					!			Name	1776
I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor	ŀ						!			* / //	1 /
I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor		+			 					Position	7610
I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor		!					1		ļ		
I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor		1					ļ			Company	
I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor	}	- 1					!		İ	- 7//	2/02/19/5
I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor		1					ļ		l	Date	Ch / 21/62
Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor Date Surveyor March 25, B 1963	į	- 1					1				
Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor Date Surveyor March 25, B 1963		i			1		1			<u> </u>	
Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor Date Surveyor March 25, B 1963					15		i				
Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor Date Surveyor March 25, B 1963				~			T				
shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor Certificate No.	23.	100		→	1		-			I hereby certi	fy that the well location
plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor Certificate No.				Į.							
Surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, 1963 Registered Professional Engineer and/or Land Surveyor Certificate No.	1						i				
Supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor Certificate No.		i					i				
Date Surveyed March 25, 18 1963 Registered Professional Engineer and/or Land Surveyor Certificate No.		İ		-			į				•
Date Surveyed March 25, B 1963 Registered Professional Engineer and/or Land Surveyor Certificate No.		į			1		!				
Date Surveyed March 25, 12 1963 Magazanananananananananananananananananan		+		+	+		-		4		
Date Surveyed March 25, 12 1963 Magazanananananananananananananananananan		i					Ì				
Macada San San San San San San San San San Sa		Ì					i				
Registe red Professional Engineer and/or Land Surveyor		1					ļ		1	Date Surveyed	March 25 1062
Registe red Professional Engineer and/or Land Surveyor		!			1		!			Xs	888888888
Zerla E. Hall				- 1			!		1	1 .	
0 330 660 000 1320 1660 1990 2310 2640 2000 1600 1990 500 0 Certificate No.		ļ i					į			and/or Land	Surveyor
0 330 660 000 1320 1660 1990 2210 2640 2000 1600 1990 500 0 Certificate No.	L	1		†			i i			11/1	6 11 111
O 320 CEO 000 1220 1660 1000 2210 2660 2000 1600 1000 500 0 Certificate No.		4 +						- promittees as		fella	- Loball
3241	0 330 660 9	90 1320	1650 198	0 2310	2640	2000	1500	1000 5	00 0	Certificate No	3241

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.