

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPL  
(Other instructions  
verse side)

E\*  
re-

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

L. C. -067811A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

H. E. Prince

3. ADDRESS OF OPERATOR

606 N. Atkinson, Roswell, New Mexico 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)

See also space 17 below.  
At surface

1650 feet from the N. line and 990 feet from the W. line.

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Dale Federal

9. WELL NO.

7

10. FIELD AND POOL, OR WILDCAT

Linda San Andres

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

S-26-T7S-R26E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

12. COUNTY OR PARISH

Chaves

13. STATE

New Mexico

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Plug and abandon as follows:

T. D. 1502 feet

Run bottom plug with 15 sacks of cement from 1502 feet back to 1381.55 feet.

Cut casing at 546 feet and pull

Run heavy mud from 1381.55 feet back to 200 feet.

Run 100 feet cement plug 50 feet in hole and 50 feet in surface pipe.

17 sacks in surface pipe and 16 sacks in hole back 100 feet.

Run mud back to 10 feet.

Run 10 feet cement plug 4 sacks and set marker.

Clean debris from site.

RECEIVED

JUL 13 1974

U. S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED H. E. Prince

TITLE owner

DATE 7/12/74

(This space for Federal or State office use)

APPROVED BY  
CONDITIONS OF APPROVAL IF ANY:

TITLE

DATE

AUG 13 1974

K. L. BEEKMAN

ACTING DISTRICT ENGINEER

\*See Instructions on Reverse Side