

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIP  
MODIFIED CONDITIONS  
VERSE SIDE  
DRAWER DD

215P  
Subject Bureau No. 1004-0133  
Expires August 31, 1985

LEASE DESIGNATION AND SERIAL NO.

LC-067811

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT" for such proposals.)

SEP 20 1984

O. C. D.

ARTESIA, OFFICE

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Stevens Operating Corporation

3. ADDRESS OF OPERATOR

P.O. Box 2203 Roswell, New Mexico 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  
See also space 17 below.)

At surface 1650 FNL, 990 FEL, Sec. 33, T-7-S, R-26-E

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Nichols Dale Fed.

9. WELL NO.

4

10. FIELD AND POOL, OR WILDCAT

Pecos San Andres

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

33-7-26

See 33

1650 FNL, 990 FEL,

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3753 GR 3695 6/1

12. COUNTY OR PARISH

Chaves

13. STATE

NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐  
☐  
☐  
☐  
☐

PULL OR ALTER CASING

☐  
☐  
☒  
☐  
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐  
☐  
☐  
☐  
☐

REPAIRING WELL

☐  
☐  
☐  
☐  
☐

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

7" Surface Csg @ 102'

4 1/2 Production Csg @ 1282'

Perforations: 1254-1264

P & A Proposal

1. Set WLBP @ 1200' + 35' Cement Cap.

2. Find Free Point of 4 1/2 Production Csg.

3. Perforate 4 1/2 Csg @ Free Point.

4. Pump Class "C" Cement to circulate cement to surface outside and inside 4 1/2 csg.

5. Set Dry Hole Marker.

18. I hereby certify that the foregoing is true and correct

SIGNED

*[Signature]*

TITLE Production Controller

DATE 9-18-84

(This space for Federal or State office use)

APPROVED BY

*[Signature]*

TITLE

Area

DATE

9-18-84

CONDITIONS OF APPROVAL IF ANY:

\*See Instructions on Reverse Side