

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

RECEIVED
MAY 15 1969
D. C. E.
ARTESIAN

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. OG 4681
7. Unit Agreement Name
8. Farm or Lease Name State CH
9. Well No. 1
10. Field and Pool, or Wildcat Twin Lakes San Andres
12. County Chaves

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>
2. Name of Operator H. N. SWEENEY ✓
3. Address of Operator Box 1582, Roswell, New Mexico 88201
4. Location of Well UNIT LETTER <u>L</u> , <u>1980</u> FEET FROM THE <u>south</u> LINE AND <u>660</u> FEET FROM THE <u>west</u> LINE, SECTION <u>36</u> TOWNSHIP <u>3 S.</u> RANGE <u>28 E.</u> NMPM.
15. Elevation (Show whether DF, RT, GR, etc.) 3946 DF

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

5/10/69 -- Halliburton SV Squeeze Packer set on wire line at 2600'.
Squeezed interval from 2600-2614 (perforations 2606-2611)
with 50 sacks of Class C cement mixed with 5# sand and
3# salt per sack. Maximum pressure 4200#. Held 3800#
after approximately 10 sacks displaced to formation.
Pulled up out of packer and reversed out. Tested casing
and bridge plug at 2000#. PBD - 2600'.
Plan to perforate, acidize on 5/16/69.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED H. N. Sweeney TITLE Operator DATE 5/13/69

APPROVED BY W. A. Grossett TITLE Oil and Gas Inspector DATE JUN 3 1969

CONDITIONS OF APPROVAL, IF ANY: