Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993 Lease Designation and Serial No

NM-048 768 SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such prop 4 194 7 If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE O. C. D. ARTESIA, CIFFICE Buffalo Valley Com. 1 Type of Well Oil Well 8. Well Name and No. Buffalo Valley # 2 Name of Operator 9. API Well No. Bledsoe Petro Corp 3 Address and Telephone No. 10. Field and Pool, or Exploratory Area 3705 W. Memorial Rd, Oklahoma City, OK 73134 (405) 748-5050 4 Location of Well (Footage, Sec., T., R., M., or Survey Description) Buffalo Valley 11. County or Parish, State 1650' from the North Line and 990' from the East Line Sec. 35, Township 14S, Range 27E Chavez Elevation 3515 GR CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION X Notice of Intent Change of Plans Abandonment New Construction Recompletion Non-Routine Fracturing Plugging Back Subsequent Report Water Shut-Off Casing Repair

Completion or Recompletion Report and Log form 1 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Altering Casing

- Set CIBP at 8000', Drop 35' cement on top. 1.
- Cut & pull $5\frac{1}{2}$ " at free point, approximately 7000'.
- 3. Pump 170' stub plug @ cut off point $\frac{1}{2}$ in $\frac{1}{2}$ out stub.
- Circulate hole with mud.

Final Abandonment Notice

- Spot 130' plug at base of 8 5/8" csg, $\frac{1}{2}$ in $\frac{1}{2}$ out of casing. Tag 5.
 - Cut & pull 8 5/8 at free point below 350'. 6.
- Spot 120' plug @ cut off point; $\frac{1}{2}$ in $\frac{1}{2}$ out csg. Spot 100' plug @ base of 13 3/8, $\frac{1}{2}$ in $\frac{1}{2}$ out csg. Tag 8.
 - Spot plug 50' to surface 9.
 - Cut off surface csg & weld on cap and plugged well marker. 10.



Conversion to Injection

(Note: Report results of multiple completion on Well

Dispose Water

<u> </u>	
A STEELER	
001 5 1994 -	Date
	BURDAL OF LAND WAS ASSISTED.

or representations as to any matter within its jurisdiction