

8.

NO. OF COPIES RECEIVED	6
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	2
LAND OFFICE	1
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Form C-105
Revised 1-1-65

OCT 22 1969

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.
L-2345

1a. TYPE OF WELL

OIL WELL ☐ GAS WELL ☐ DRY ☒ OTHER ☐ **O. C. C. ARTEBIA, OFFICE**

b. TYPE OF COMPLETION

NEW WELL ☐ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐

2. Name of Operator

Ralph Lowe ✓

3. Address of Operator

PO Box 832, Midland, Texas, 79701

4. Location of Well

UNIT LETTER **P** LOCATED **660** FEET FROM THE **South** LINE AND **660** FEET FROM

THE **East** LINE OF SEC. **20** TWP. **10-S** RGE. **26-E** NMPM

15. Date Spudded

9/19/69

16. Date T.D. Reached

10/17/69

17. Date Compl. (Ready to Prod.)

Dry P+H

18. Elevations (DF, RKB, RT, GR, etc.)

3672 GR.

19. Elev. Casinghead

20. Total Depth

5890

21. Plug Back T.D.

22. If Multiple Compl., How Many

23. Intervals Drilled By

Rotary Tools

Cable Tools

24. Producing Interval(s), of this completion - Top, Bottom, Name

None - Dry

25. Was Directional Survey Made

No

26. Type Electric and Other Logs Run

27. Was Well Cored

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	24#	950	11	700 Surf Circ.	None

29. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET

30. TUBING RECORD

31. Perforation Record (Interval, size and number)

None

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL

AMOUNT AND KIND MATERIAL USED

None

33. PRODUCTION

Date First Production **Dry** Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in)

Date of Test	Hours Tested	Choke Size	Prod'n. For Test Period	Oil - Bbl.	Gas - MCF	Water - Bbl.	Gas-Oil Ratio
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API (Corr.)	

34. Disposition of Gas (Sold, used for fuel, vented, etc.)

Test Witnessed By

35. List of Attachments

Deviation Survey, Laterlog, Acoustilog

36. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED

C. J. Murray

TITLE

Agent

DATE

10/21/69

INSTRUCTIONS

This form is to be filled with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 30 through 34 shall be reported for each zone. The form is to be filled in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
T. Salt	T. Aloka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Qtzite
T. Glorieta	T. McKee	T. Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T. Morrison
T. Blinberry	T. Gr. Wash	T. Todillo	T. Entrada
T. Tubb	T. Granite	T. Delaware Sand	T. Bone Springs
T. Drinkard	T. Abo	T. Wolfcamp	T. Permian
T. Cisco	T. Permian	T. Penn. "A"	T. Permian

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness In Feet	Formation
0	330	330	Ordovician & Silurian
330	360	30	Sandstone & shale
360	460	100	Dolomite
460	510	50	Limestone
510	530	20	Dolomite
530	570	40	Sandstone & shale
570	610	40	Dolomite
610	660	50	Limestone
660	710	50	Dolomite
710	760	50	Sandstone & shale
760	810	50	Dolomite
810	860	50	Sandstone & shale
860	910	50	Dolomite
910	960	50	Sandstone & shale
960	1010	50	Dolomite
1010	1060	50	Sandstone & shale
1060	1110	50	Dolomite
1110	1160	50	Sandstone & shale
1160	1210	50	Dolomite
1210	1260	50	Sandstone & shale
1260	1310	50	Dolomite
1310	1360	50	Sandstone & shale
1360	1410	50	Dolomite
1410	1460	50	Sandstone & shale
1460	1510	50	Dolomite
1510	1560	50	Sandstone & shale
1560	1610	50	Dolomite
1610	1660	50	Sandstone & shale
1660	1710	50	Dolomite
1710	1760	50	Sandstone & shale
1760	1810	50	Dolomite
1810	1860	50	Sandstone & shale
1860	1910	50	Dolomite
1910	1960	50	Sandstone & shale
1960	2010	50	Dolomite
2010	2060	50	Sandstone & shale
2060	2110	50	Dolomite
2110	2160	50	Sandstone & shale
2160	2210	50	Dolomite
2210	2260	50	Sandstone & shale
2260	2310	50	Dolomite
2310	2360	50	Sandstone & shale
2360	2410	50	Dolomite
2410	2460	50	Sandstone & shale
2460	2510	50	Dolomite
2510	2560	50	Sandstone & shale
2560	2610	50	Dolomite
2610	2660	50	Sandstone & shale
2660	2710	50	Dolomite
2710	2760	50	Sandstone & shale
2760	2810	50	Dolomite
2810	2860	50	Sandstone & shale
2860	2910	50	Dolomite
2910	2960	50	Sandstone & shale
2960	3010	50	Dolomite
3010	3060	50	Sandstone & shale
3060	3110	50	Dolomite
3110	3160	50	Sandstone & shale
3160	3210	50	Dolomite
3210	3260	50	Sandstone & shale
3260	3310	50	Dolomite
3310	3360	50	Sandstone & shale
3360	3410	50	Dolomite
3410	3460	50	Sandstone & shale
3460	3510	50	Dolomite
3510	3560	50	Sandstone & shale
3560	3610	50	Dolomite
3610	3660	50	Sandstone & shale
3660	3710	50	Dolomite
3710	3760	50	Sandstone & shale
3760	3810	50	Dolomite
3810	3860	50	Sandstone & shale
3860	3910	50	Dolomite
3910	3960	50	Sandstone & shale
3960	4010	50	Dolomite
4010	4060	50	Sandstone & shale
4060	4110	50	Dolomite
4110	4160	50	Sandstone & shale
4160	4210	50	Dolomite
4210	4260	50	Sandstone & shale
4260	4310	50	Dolomite
4310	4360	50	Sandstone & shale
4360	4410	50	Dolomite
4410	4460	50	Sandstone & shale
4460	4510	50	Dolomite
4510	4560	50	Sandstone & shale
4560	4610	50	Dolomite
4610	4660	50	Sandstone & shale
4660	4710	50	Dolomite
4710	4760	50	Sandstone & shale
4760	4810	50	Dolomite
4810	4860	50	Sandstone & shale
4860	4910	50	Dolomite
4910	4960	50	Sandstone & shale
4960	5010	50	Dolomite
5010	5060	50	Sandstone & shale
5060	5110	50	Dolomite
5110	5160	50	Sandstone & shale
5160	5210	50	Dolomite
5210	5260	50	Sandstone & shale
5260	5310	50	Dolomite
5310	5360	50	Sandstone & shale
5360	5410	50	Dolomite
5410	5460	50	Sandstone & shale
5460	5510	50	Dolomite
5510	5560	50	Sandstone & shale
5560	5610	50	Dolomite
5610	5660	50	Sandstone & shale
5660	5710	50	Dolomite
5710	5760	50	Sandstone & shale
5760	5810	50	Dolomite
5810	5860	50	Sandstone & shale
5860	5910	50	Dolomite
5910	5960	50	Sandstone & shale
5960	6010	50	Dolomite
6010	6060	50	Sandstone & shale
6060	6110	50	Dolomite
6110	6160	50	Sandstone & shale
6160	6210	50	Dolomite
6210	6260	50	Sandstone & shale
6260	6310	50	Dolomite
6310	6360	50	Sandstone & shale
6360	6410	50	Dolomite
6410	6460	50	Sandstone & shale
6460	6510	50	Dolomite
6510	6560	50	Sandstone & shale
6560	6610	50	Dolomite
6610	6660	50	Sandstone & shale
6660	6710	50	Dolomite
6710	6760	50	Sandstone & shale
6760	6810	50	Dolomite
6810	6860	50	Sandstone & shale
6860	6910	50	Dolomite
6910	6960	50	Sandstone & shale
6960	7010	50	Dolomite
7010	7060	50	Sandstone & shale
7060	7110	50	Dolomite
7110	7160	50	Sandstone & shale
7160	7210	50	Dolomite
7210	7260	50	Sandstone & shale
7260	7310	50	Dolomite
7310	7360	50	Sandstone & shale
7360	7410	50	Dolomite
7410	7460	50	Sandstone & shale
7460	7510	50	Dolomite
7510	7560	50	Sandstone & shale
7560	7610	50	Dolomite
7610	7660	50	Sandstone & shale
7660	7710	50	Dolomite
7710	7760	50	Sandstone & shale
7760	7810	50	Dolomite
7810	7860	50	Sandstone & shale
7860	7910	50	Dolomite
7910	7960	50	Sandstone & shale
7960	8010	50	Dolomite
8010	8060	50	Sandstone & shale
8060	8110	50	Dolomite
8110	8160	50	Sandstone & shale
8160	8210	50	Dolomite
8210	8260	50	Sandstone & shale
8260	8310	50	Dolomite
8310	8360	50	Sandstone & shale
8360	8410	50	Dolomite
8410	8460	50	Sandstone & shale
8460	8510	50	Dolomite
8510	8560	50	Sandstone & shale
8560	8610	50	Dolomite
8610	8660	50	Sandstone & shale
8660	8710	50	Dolomite
8710	8760	50	Sandstone & shale
8760	8810	50	Dolomite
8810	8860	50	Sandstone & shale
8860	8910	50	Dolomite
8910	8960	50	Sandstone & shale
8960	9010	50	Dolomite
9010	9060	50	Sandstone & shale
9060	9110	50	Dolomite
9110	9160	50	Sandstone & shale
9160	9210	50	Dolomite
9210	9260	50	Sandstone & shale
9260	9310	50	Dolomite
9310	9360	50	Sandstone & shale
9360	9410	50	Dolomite
9410	9460	50	Sandstone & shale
9460	9510	50	Dolomite
9510	9560	50	Sandstone & shale
9560	9610	50	Dolomite
9610	9660	50	Sandstone & shale
9660	9710	50	Dolomite
9710	9760	50	Sandstone & shale
9760	9810	50	Dolomite
9810	9860	50	Sandstone & shale
9860	9910	50	Dolomite
9910	9960	50	Sandstone & shale
9960	10010	50	Dolomite
10010	10060	50	Sandstone & shale
10060	10110	50	Dolomite
10110	10160	50	Sandstone & shale
10160	10210	50	Dolomite
10210	10260	50	Sandstone & shale
10260	10310	50	Dolomite
10310	10360	50	Sandstone & shale
10360	10410	50	Dolomite
10410	10460	50	Sandstone & shale
10460	10510	50	Dolomite
10510	10560	50	Sandstone & shale
10560	10610	50	Dolomite
10610	10660	50	Sandstone & shale
10660	10710	50	Dolomite
10710	10760	50	Sandstone & shale
10760	10810	50	Dolomite
10810	10860	50	Sandstone & shale
10860	10910	50	Dolomite
10910	10960	50	Sandstone & shale
10960	11010	50	Dolomite
11010	11060	50	Sandstone & shale
11060	11110	50	Dolomite
11110	11160	50	Sandstone & shale
11160	11210	50	Dolomite
11210	11260	50	Sandstone & shale
11260	11310	50	Dolomite
11310	11360	50	Sandstone & shale
11360	11410	50	Dolomite
11410	11460	50	Sandstone & shale
11460	11510	50	Dolomite
11510	11560	50	Sandstone & shale
11560	11610	50	Dolomite
11610	11660	50	Sandstone & shale
11660	11710	50	Dolomite
11710	11760	50	Sandstone & shale
11760	11810	50	Dolomite
11810	11860	50	Sandstone & shale
11860	11910	50	Dolomite
11910	11960	50	Sandstone & shale
11960	12010	50	Dolomite
12010	12060	50	Sandstone & shale
12060	12110	50	Dolomite
12110	12160	50	Sandstone & shale
12160	12210	50	Dolomite
12210	12260	50	Sandstone & shale
12260	12310	50	Dolomite
12310	12360	50	Sandstone & shale
12360	12410	50	Dolomite
12410	12460	50	Sandstone & shale
12460	12510	50	Dolomite
12510	12560	50	Sandstone & shale
12560	12610	50	Dolomite
12610	12660	50	Sandstone & shale
12660	12710	50	Dolomite
12710	12760	50	Sandstone & shale
12760	12810	50	Dolomite
12810	12860	50	Sandstone & shale
12860	12910	50	Dolomite
12910	12960	50	Sandstone & shale
12960	13010	50	Dolomite
13010	13060	50	Sandstone & shale
13060	13110	50	Dolomite
13110	13160	50	Sandstone & shale
13160	13210	50	Dolomite
13210	13260	50	Sandstone & shale
13260	13310	50	Dolomite
13310	13360	50	Sandstone & shale
13360	13410	50	Dolomite
13410	13460	50	Sandstone & shale
13460	13510	50	Dolomite
13510	13560	50	Sandstone & shale
13560	13610	50	Dolomite
13610	13660	50	Sandstone & shale
13660	13710	50	Dolomite
13710	13760	50	Sandstone & shale
13760	13810	50	Dolomite
13810	13860	50	Sandstone & shale
13860	13910	50	Dolomite
13910	13960	50	Sandstone & shale
13960	14010	50	Dolomite
14010	14060	50	Sandstone & shale
14060	14110	50	Dolomite
14110	14160	50	Sandstone & shale
14160	14210	50	Dolomite
14210	14260	50	Sandstone & shale
14260	14310	50	Dolomite
14310	14360	50	Sandstone & shale
14360	14410	50	Dolomite
14410	14460	50	Sandstone & shale
14460	14510	50	Dolomite
14510	14560	50	Sandstone & shale
14560	14610	50	Dolomite
14610	14660	50	Sandstone & shale
14660	14710	50	Dolomite
14710	14760	50	Sandstone & shale
14760	14810	50	Dolomite
14810	14860	50	Sandstone & shale
14860	14910	50	Dolomite
14910	14960	50	Sandstone & shale
14960	15010	50	Dolomite
15010	15060	50	Sandstone & shale
15060	15110	50	Dolomite
15110	15160	50	Sandstone & shale
15160	15210	50	Dolomite
15210	15260	50	Sandstone & shale
15260	15310	50	Dolomite
15310	15360	50	Sandstone & shale
15360	15410		

Ralph Lowe
 Humble-Corralcoba No. 1 Sec. 20, TWP 10-S Rge 26-E
 Unit P Charles County, New Mexico
 Wildcat Dry Hole 2

PREPARED BY

DATE

Deviation Survey

Degree Feet

1		1/2	300						1
2		1	1025						2
3		1	1325						3
4		1 1/4	1490						4
5		1/2	2440						5
6		1	3021						6
7		3/4	3526						7
8		3/4	4324						8
9		3/4	4576						9
10		1	4725						10
11		1 1/4	5550						11
12		1 3/4	5787						12
13			5890 TD						13
14									14
15									15
16									16
17									17
18									18
19									19
20	STATE OF TEXAS	X							20
21	COUNTY OF MIDLAND	X							21
22									22
23	BEFORE ME, the undersigned authority, on this day personally appeared								23
24	C. W. Murray, known to me to be the person whose name is subscribed to this								24
25	instrument, who after by me duly sworn on oath, states that to the best of his								25
26	knowledge the facts stated above are true and correct.								26
27									27
28									28
29									29
30	SUBSCRIBED AND SWORN to before me on this 20th day of October, 1969.								30
31									31
32									32
33									33
34									34
35									35
36									36
37									37
38									38
39									39
40									40
41									41
42									42
43									43

RECEIVED

OCT 22 1969

O. C. C.
 ARTERIA, OFFICE

C. W. Murray

Roberta Wornell
 Roberta Wornell, Notary Public in and for
 Midland County, Texas.