		N. M. O. C. C. C		Form approved	·						
or.m 9-331 May 1963)	U"TED STATE	SUBMIT I (Other ins Verse side)	atmosti on re-	Budget Bureau 5. LEASE DESIGNATION A	ND SERIAL NO.						
DEP				N.M. 064442							
	GEOLOGICAL SU			6. IF INDIAN, ALLOTTEE	OR TRIBE NAME						
SUNDRY	NOTICES AND REP r proposals to drill or to deep APPLICATION FOR PERMIT	ORTS ON WELLS	t reservoir.								
Use "/	APPLICATION FOR PERMIT-	for such proposition		7. UNIT AGREEMENT NAM	ME						
OIL GAS X	THER			8. FARM OR LEASE NAM							
NAME OF OPERATOR				Miller Fed							
Hanson Oil Corporation				9. WELL NO.							
ADDRESS OF OPERATOR	Boswell New	Mexico 88201		1							
 P. O. Box 1515, Roswell, New Mexico 88201 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 990' FSL & 990' FEL Sec. 26, T-14-S, R-27-E, N.M.P.M. 				10. FIELD AND POOL, OR WILDCAT Undesignated							
							Chaves County,	New Mexico		Sec. 26, T	
						14. PERMIT NO.	15. ELEVATIONS (Sho	ow whether DF, RT, GR, etc.)		12. COUNTY OR PARISH	1
	3450 GL			Chaves	NM.						
16. Cl	neck Appropriate Box To	Indicate Nature of Not	tice, Report, or C)ther Data							
NOTICE	OF INTENTION TO :	_	SUBSEQU	UENT REPORT OF:							
TEST WATER SHUT-OFF	PULL OR ALTER CASING	°	SHUT-OFF								
FRACTURE TREAT	MULTIPLE COMPLETE		RE TREATMENT	ALTERING C							
SHOOT OR ACIDIZE	ABANDON*	(Other)	NG OR ACIDIZING	_J							
REPAIR WELL	CHANGE PLANS	(Other)	The mant monults	s of multiple completion detion Report and Log fo	on Well orm.)						
		C c	ampletion or Recomp	using mehore and post of							
(Other) 17. DESCRIBE PROPOSED OR COME proposed work. If well nent to this work.)*	anosed that the	te all pertinent details, and g absurface locations and measurface locationed wel	give pertinent dates ured and true vertic	, including estimated da cal depths for all marker ged and abance	doned						
(Other) 17. DESCRIBE PROPOSED OR COMP proposed work. If well nent to this work.)* It is pr in the follow 13, 1972: 1. 25 s 2. 35 s 3. 35 s 4. 35 s 5. 35 s	oposed that the ing manner per x. 8290-7175' x. 6550-6450' x. 5025-4925' x. 2900-2800' x. 1670-1570'	captioned wel verbal instruc (50' above & (across shoe	give pertiment dates ured and true vertic tions of M below stuk	, including estimated da (al depths for all market) ged and aband Ar. Knauf on $0 \text{ of } 3\frac{1}{2} \& 5\frac{1}{2}$	doned July						
(Other) 17. DESCRIBE PROPOSED OR COMT proposed work. If well nent to this work)* It is pr in the follow 13, 1972: 1. 25 s 2. 35 s 3. 35 s 4. 35 s	oposed that the ing manner per x. 8290-7175' x. 6550-6450' x. 5025-4925' x. 2900-2800' x. 1670-1570'	captioned wel verbal instruc (50' above &	give pertiment dates ured and true vertic tions of M below stuk	, including estimated da (al depths for all market) ged and aband Ar. Knauf on $0 \text{ of } 3\frac{1}{2} \& 5\frac{1}{2}$	doned July						
(Other) 17. DESCRIBE PROPOSED OR COMP proposed work. If well nent to this work.)* It is pr in the follow 13, 1972: 1. 25 s 2. 35 s 3. 35 s 4. 35 s 5. 35 s 6. 20 s	oposed that the ing manner per x. 8290-7175' x. 6550-6450' x. 5025-4925' x. 2900-2800' x. 1670-1570' x. 0-100'	captioned wel captioned wel verbal instruc (50' above & (across shoe surface plug will be filled	give pertiment dates ured and true vertic tions of M below stuk of 8 5/8") (some out: d with 10#	(including estimated da (al depths for all market) (Ar. Knauf on (b) of $3\frac{1}{2} & 5\frac{1}{2}$ (c) side 8 5/8") mud. A reg	doned July						
(Other) 17. DESCRIBE PROPOSED OR COMP proposed work. If well nent to this work.)* It is pr in the follow 13, 1972: 1. 25 s 2. 35 s 3. 35 s 4. 35 s 5. 35 s 6. 20 s The intervals marker will h	oposed that the ing manner per x. 8290-7175' x. 6550-6450' x. 5025-4925' x. 2900-2800' x. 1670-1570' x. 0-100' between plugs be set and the J	<pre>te all pertinent details, and ; ibsurface locations and measu captioned wel verbal instruc (50' above & (across shoe surface plug will be filled location will k</pre>	give pertiment dates ured and true vertic tions of M below stuk of 8 5/8") (some outs d with 10# be cleaned	(including estimated da (al depths for all market) (Ar. Knauf on (b) of $3\frac{1}{2} & 5\frac{1}{2}$ (c) (c) (c) (c) (c) (c) (c) (c)	doned July						
(Other) 17. DESCRIBE PROPOSED OR COMP proposed work. If well nent to this work.)* It is pr in the follow 13, 1972: 1. 25 s 2. 35 s 3. 35 s 4. 35 s 5. 35 s 6. 20 s	oposed that the ing manner per x. 8290-7175' x. 6550-6450' x. 5025-4925' x. 2900-2800' x. 1670-1570' x. 0-100' between plugs be set and the J	captioned wel captioned wel verbal instruc (50' above & (across shoe surface plug will be filled	give pertiment dates ured and true vertic 1 be plugg tions of M below stuk of 8 5/8") (some out: d with 10# be cleaned	(including estimated da (al depths for all market) (Ar. Knauf on (b) of $3\frac{1}{2} & 5\frac{1}{2}$ (c) (c) (c) (c) (c) (c) (c) (c)	doned July) ulation ion as						
(Other) 17. DESCRIBE PROPOSED OR COMP proposed work. If well nent to this work)* It is pr in the follow 13, 1972: 1. 25 s 2. 35 s 3. 35 s 4. 35 s 5. 35 s 6. 20 s The intervals marker will h	oposed that the ing manner per x. 8290-7175' x. 6550-6450' x. 5025-4925' x. 2900-2800' x. 1670-1570' x. 0-100' between plugs be set and the J	<pre>te all pertinent details, and ; ibsurface locations and measu captioned wel verbal instruc (50' above & (across shoe surface plug will be filled location will k</pre>	give pertinent dates ured and true vertic tions of M below stuk of 8 5/8") (some out: d with 10# be cleaned	neluding estimated da (al depths for all market) ged and aband Ar. Knauf on b of $3\frac{1}{2}$ & $5\frac{1}{2}$) side 8 5/8") mud. A reg for inspect	doned July) ulation ion as						
(Other) 17. DESCRIBE PROPOSED OR COMP proposed work. If well nent to this work)* It is pr in the follow 13, 1972: 1. 25 s 2. 35 s 3. 35 s 4. 35 s 5. 35 s 6. 20 s The intervals marker will h	oposed that the ing manner per x. 8290-7175' x. 6550-6450' x. 5025-4925' x. 2900-2800' x. 1670-1570' x. 0-100' between plugs be set and the J	captioned wel captioned wel verbal instruc (50' above & (across shoe surface plug will be filled location will RECE! JUL 1 /	give pertiment dates ured and true vertice tions of M below stuk of 8 5/8") (some outs d with 10# be cleaned VED 1972	<pre>including estimated da yed and aband Ar. Knauf on o of 3½ & 5½ side 8 5/8") mud. A reg for inspect RECEIVE JUL 141972 S. GEOLOGICAL SU</pre>	doned July)) ulation ion as						
(Other) 17. DESCRIBE PROPOSED OR COMT proposed work. If well nent to this work)* It is pr in the follow 13, 1972: 1. 25 s 2. 35 s 3. 35 s 4. 35 s 5. 35 s 6. 20 s The intervals marker will k soon as poss:	oposed that the ing manner per x. 8290-7175' x. 6550-6450' x. 5025-4925' x. 2900-2800' x. 1670-1570' x. 0-100' between plugs be set and the lible.	<pre>captioned wel captioned wel verbal instruc (50' above & (across shoe surface plug will be filled location will h</pre>	give pertiment dates ured and true vertice tions of M below stuk of 8 5/8") (some outs d with 10# be cleaned VED 1972	<pre>including estimated da ged and aband Ar. Knauf on o of 3½ & 5½) side 8 5/8") mud. A reg for inspect RECEIVE JUL 141972 S. GEOLOGICAL SU RTESIA, NEW MEX</pre>	doned July)) ulation ion as D						
(Other) 17. DESCRIBE PROPOSED OR COMP proposed work. If well nent to this work)* It is pr in the follow 13, 1972: 1. 25 s 2. 35 s 3. 35 s 4. 35 s 5. 35 s 6. 20 s The intervals marker will k soon as poss:	oposed that the ing manner per x. 8290-7175' x. 6550-6450' x. 5025-4925' x. 2900-2800' x. 1670-1570' x. 0-100' between plugs be set and the J	<pre>captioned wel captioned wel verbal instruc (50' above & (across shoe surface plug will be filled location will h</pre>	give pertinent dates ured and true vertic 1 be plugg tions of M below stuk of 8 5/8") (some out: 1 with 10# be cleaned VEC 1972 U.S	<pre>including estimated da ged and aband Ar. Knauf on o of 3½ & 5½) side 8 5/8") mud. A reg for inspect RECEIVE JUL 141972 S. GEOLOGICAL SU RTESIA, NEW MEX</pre>	doned July)) ulation ion as D						
(Other) 17. DESCRIBE PROPOSED OR COMP proposed work. If well nent to this work)* It is pr in the follow 13, 1972: 1. 25 s 2. 35 s 3. 35 s 4. 35 s 5. 35 s 6. 20 s The intervals marker will h soon as poss: 18. I hereby certify that the SIGNED Lindow	oposed that the ing manner per x. 8290-7175' x. 6550-6450' x. 5025-4925' x. 2900-2800' x. 1670-1570' x. 0-100' between plugs be set and the lible.	(across shoe surface plug will be filled location will h RECE!	give pertinent dates ured and true vertic 1 be plugg tions of M below stuk of 8 5/8") (some out: 1 with 10# be cleaned VEC 1972 U.S	<pre>including estimated da ged and aband Ar. Knauf on o of 3½ & 5½) side 8 5/8") mud. A reg for inspect RECEIVE JUL 141972 S. GEOLOGICAL SU RTESIA, NEW MEX</pre>	doned July)) ulation ion as D						
(Other) 17. DESCRIBE PROPOSED OR COMT proposed work. If well nent to this work)* It is pr in the follow 13, 1972: 1. 25 s 2. 35 s 3. 35 s 4. 35 s 5. 35 s 6. 20 s The intervals marker will h soon as poss: 18. I hereby certify that the SIGNED Link (This anace for Federal Comparison)	oposed that the ing manner per x. 8290-7175' x. 6550-6450' x. 5025-4925' x. 2900-2800' x. 1670-1570' x. 0-100' between plugs be set and the lible.	(across shoe surface plug will be filled location will h RECE!	give pertinent dates ured and true vertic 1 be plugg tions of M below stuk of 8 5/8") (some out: 1 with 10# be cleaned VEC 1972 U.S	<pre>including estimated da ged and aband Ar. Knauf on o of 3½ & 5½) side 8 5/8") mud. A reg for inspect RECEIVE JUL 141972 S. GEOLOGICAL SU RTESIA, NEW MEX</pre>	doned July)) ulation ion as D						
(Other) 17. DESCRIBE PROPOSED OR COMT proposed work. If well nent to this work)* It is pr in the follow 13, 1972: 1. 25 s 2. 35 s 3. 35 s 4. 35 s 5. 35 s 6. 20 s The intervals marker will h soon as poss: 18. I hereby certify that the SIGNED Link (This anace for Federal Comparison)	oposed that the ing manner per x. 8290-7175' x. 6550-6450' x. 5025-4925' x. 2900-2800' x. 1670-1570' x. 0-100' between plugs be set and the lible.	<pre>captioned wel captioned wel verbal instruc (50' above & (across shoe surface plug will be filled location will h</pre>	give pertinent dates ured and true vertic 1 be plugg tions of M below stuk of 8 5/8") (some out: 1 with 10# be cleaned VEC 1972 U.S	<pre>including estimated da ged and aband Ar. Knauf on o of 3½ & 5½) side 8 5/8") mud. A reg for inspect RECEIVE JUL 141972 S. GEOLOGICAL SU RTESIA, NEW MEX </pre>	doned July)) ulation ion as D						
(Other) 17. DESCRIBE PROPOSED OR COMT proposed work. If well nent to this work)* It is pr in the follow 13, 1972: 1. 25 s 2. 35 s 3. 35 s 4. 35 s 5. 35 s 6. 20 s The intervals marker will k soon as poss: 18. I hereby certify that the SIGNED LUMA	oposed that the ing manner per X. 8290-7175' X. 6550-6450' X. 5025-4925' X. 2900-2800' X. 1670-1570' X. 0-100' S. 0-100' S between plugs be set and the lible.	<pre>captioned wel captioned wel verbal instruc (50' above & (across shoe surface plug will be filled location will h</pre>	give pertiment dates ured and true vertice 1 be plugg tions of M below stuk of 8 5/8") (some out: 1 with 10# be cleaned VEC F 1972 U.S St	<pre>including estimated da ged and aband Ar. Knauf on o of 3½ & 5½) side 8 5/8") mud. A reg for inspect RECEIVE JUL 141972 S. GEOLOGICAL SU RTESIA, NEW MEX </pre>	doned July)) ulation ion as						