

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

N.M.O.O.D. COPY

SUBMIT IN TRI
(Other instruction
verse side)ATE*
reForm approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		AUG 05 1981		5. LEASE DESIGNATION AND SERIAL NO. NM 17576	
2. NAME OF OPERATOR Sanders Petroleum Corporation ✓		O. C. D. ARTESIA, OFFICE		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR 11000-D Spain Road NE, Albuquerque, NM 87111				7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660' FSL & 1980' FWL, Sec. 6, T7S, R27E				8. FARM OR LEASE NAME Isler Federal	
				9. WELL NO. 1	
				10. FIELD AND POOL, OR WILDCAT Undesignated Granite Wash	
				11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 6, T7S, R27E	
14. PERMIT NO.		15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3913 CL		12. COUNTY OR PARISH Chaves	
				13. STATE NM	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other)	<input type="checkbox"/>		<input type="checkbox"/>

SUBSEQUENT REPORT OF:


WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other)	<input type="checkbox"/>	Run Casing & Cement	<input checked="" type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Running 4-1/2" casing. Spotted 100 sx. Class "H" cement 6000-6200'. Ran 129 jts. 4-1/2" 10.5# K-55 Smls. Casing, 5012.81', set at 5023'. Top of float collar at 4987'. Centralizers at 5013', 4905', 4875', 4800', 4725', 4650'. Cemented with 300 sx. 65/35 Poz. w/4% gel, 8# Kolite, 1/4# Celloflake, 5# Salt, 2% CaCl; followed with 200 sx. "self-stress" w/1% FLA, 2% CaCl. Plug down 10:45 a.m. 7-24-81. Top of cement by temp. survey 3700'.

NOTE: Received verbal approval from Mr. Roger Chapman on 7-23-81 to set cement plug from 6000' to 6200'.



18. I hereby certify that the foregoing is true and correct

SIGNED Charles W. Sanders TITLE President DATE 7-27-81

(This space for Federal or State office use)

APPROVED BY ROGER A. CHAPMAN TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

JUL 29 1981

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side