

N.M.O.G.D. COPY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See instructions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

NM-14755

RECEIVED

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

JUL 7 1981

8. FARM OR LEASE NAME

Powers "OL" Federal

9. WELL NO.

4

10. FIELD AND POOL, OR WILDCAT

Und. Abo

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

Unit A, Sec. 14-6S-25E

12. COUNTY OR
PARISH

Chaves

13. STATE

NM

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other

2. NAME OF OPERATOR

Yates Petroleum Corporation

3. ADDRESS OF OPERATOR

207 South 4th St., Artesia, NM 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 660' FNL & 660' FEL

At top prod. interval reported below

At total depth

ACCEPTED FOR RECORD
ROGER A. CHAPMAN

JUL 1 1981

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

14. PERMIT NO. DATE ISSUED

15. DATE SPUDDED 16. DATE T.D. REACHED 17. DATE COMPL. (Ready to prod.) 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 19. ELEV. CASINGHEAD

5-29-81

6-7-81

6-21-81

3832.3' GR

20. TOTAL DEPTH, MD & TVD

4348'

21. PLUG, BACK T.D., MD & TVD

4346'

22. IF MULTIPLE COMPL.,
HOW MANY*23. INTERVALS
DRILLED BY

ROTARY TOOLS

CABLE TOOLS

0-4348'

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

3740-3985' Abo

25. WAS DIRECTIONAL
SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

CNL/FDC; DLL

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48#	402'	17-1/2"	400	
8-5/8"	24#	1510'	12-1/4"	750	
4-1/2"	9.5#	4346'	7-7/8"	365	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	BACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	3950'	

31. PERFORATION RECORD (Interval, size and number)

3740-3985' w/18 .50" holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
3740-3985'	w/2500 g. acid, N2 & ball sealers. Frac'd w/60000 g. gel KCL wtr, 3 loads CO2, 120000# 20/40 sand.

33.* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
6-21-81		Flowing				SIWOPLC	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
6-21-81	2 hrs	1/2"	→	-	195	-	-
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
360#	-	→	-	2336	-	-	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold

TEST WITNESSED BY

Bill Hansen

35. LIST OF ATTACHMENTS

Deviation Survey

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE Engineering Secretary

DATE 6-22-81

*(See Instructions and Spaces for Additional Data on Reverse Side)

OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.


Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING, AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
				San Andres	561	
				Glorieta	1580	
				Abo	3678	



JUN 24 1981

Telephone 505-748-2205

L & M DRILLING, INC. - Oil Well Drilling Contractors

P. O. BOX 672

ARTESIA, NEW MEXICO 88210

RECEIVED

June 16, 1981

JUN 24 1981

Yates Petroleum Corporation
207 South Fourth
Artesia, New Mexico 88210

O. C. D.
ARTESIA OFFICE

Re: Powers "OL" Federal #4
660' FNL, 660' FEL,
Section 14, T-6-S, R-25-E
Chaves County, New Mexico

Gentlemen:

The following is a Deviation Survey of the above captioned well:

Depth	Deviation
402'	1 1/4 °
910'	1 1/4 °
1412'	1 1/2 °
1920'	1 1/2 °
2400'	1 3/4 °
2915'	1 3/4 °
3410'	1 °
3926'	1/2 °
4348'	1/4 °

Very truly yours,

B. N. Muncy, Jr.
President

STATE OF NEW MEXICO
COUNTY OF EDDY

§
§

The foregoing was acknowledged before me this 16th day of
June, 1981.

