

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See print-
struc. is on
reverse side)Form approved.
Budget Bureau No. 42-R355.6.5. LEASE DESIGNATION AND SERIAL NO.
NM-19825

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

RECEIVED

UNIT AGREEMENT NAME

7. FARM OR LEASE NAME

Doris Federal O. C. D.

8. WELL NO. 2 ARTESIA, OFFICE

10. FIELD AND POOL, OR WILDCAT

Undesignated ABO

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

Sec 11, T5S, R24E

12. COUNTY OR
PARISH Chaves13. STATE
New Mexico

1a. TYPE OF WELL:

OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐

2. NAME OF OPERATOR

Mesa Petroleum Co. ✓

3. ADDRESS OF OPERATOR

1000 Vaughn Building/Midland, Texas 79701-4493

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 660' FSL & 660' FWL SW/SW-4

At top prod. interval reported below
same

At total depth

same

14. PERMIT NO.

DATE ISSUED

6-22-81

15. DATE SPUDDED

7-26-81

16. DATE T.D. REACHED

8-3-81

17. DATE COMPL. (Ready to prod.)

9-27-81

18. ELEVATIONS (DF, REB, RT, GR, ETC.)*

3950' GR

19. ELEV. CASINGHEAD

3950'

20. TOTAL DEPTH, MD & TVD

4400'

21. PLUG, BACK T.D., MD & TVD

4335

22. IF MULTIPLE COMPL.,
HOW MANY*23. INTERVALS
DRILLED BY

ROTARY TOOLS

A11

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

3678'---3865', AEO

26. TYPE ELECTRIC AND OTHER LOGS RUN

GR-CCL/GR-CNL-FDC

25. WAS DIRECTIONAL
SURVEY MADE

No

27. WAS WELL CORED

No

29. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8"	48#	733'	17 1/2"	750 HLW/300Thixset/200"C"	1600Thixset
8 5/8"	24#	1708'	11"	750 HLW/300Thixset/300"C"	
4 1/2"	10.5#	4400'	7 7/8"	650 HLW/450 POZMIX	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 3/8	3570'	

30. TUBING RECORD

31. PERFORATION RECORD (Interval, size and number)

3678', 3731, 37, 39, 3834, 36, 38, 40, 42, 44, 3846,
48, 50, 52, 54; total of 15 holes 3 1/8" Csg
gun 1 JSPF

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
3678'---3854'	A/2000 Gal 7 1/2% MSF 100+30 BS
3678'---3854'	F/ 30,300 Gal 2% KCL; CO ₂ +
	12,000# 100 Mesh + 77,100# 20-40
	Mesh SD

33.* PRODUCTION

DATE FIRST PRODUCTION - PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing WELL STATUS (Producing or shut-in) Shut-In

DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
9-27-81	1	-	→	-	-	-	-
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
90	255	→	-	CAOF=200	-	-	-

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Vented

TEST WITNESSED BY

E.L. Buttross, Jr.

35. LIST OF ATTACHMENTS

C122, Record of Inclination

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

R. E. Mathis

TITLE

Regulatory Coordinator

DATE

10-2-81

*(See Instructions and Spaces for Additional Data on Reverse Side)

XC: USGS (6), TLS, CEN RCDS, ACCTG, MEC, LAND, BLM, LMC, CTY, EEB, REM, PARTNERS, MTS (3),
TW. K. ROSWELL. FILE

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES			38. GEOLOGIC MARKERS			
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
NOT LOGGED				San Andres	784	
				Glorieta	1433	
				Yeso	1720	
				Tubb	2920	
				ABO	3544	

MESA PETROLEUM CO.
DORIS FEDERAL #2
660' FSL & 660' FWL SW/SW4
SEC 11, T5S, R24E
CHAVES COUNTY, NEW MEXICO

RECEIVED

OCT 13 1981

O. C. D.
ARTESIA, OFFICE

RECORD OF INCLINATION

<u>(DEPTH)</u>	<u>(DEVIATIONS)</u>
500'	3/4°
838'	3/4°
1518'	3/4°
1990'	3/4°
2491'	1°
2938'	3/4°
3447'	3/4°
3918'	1/2°


BY: R. E. MATHIS, REGULATORY COORDINATOR

Subscribed and sworn to before me this 2nd day of October, 1981.


Notary Public in and for Midland County,
Texas.

Commission Expires: JUNE 26, 1981.