## INSTRUCTIONS

This form is to be filed with the appropri-de District Office of the Division not later than 20 days after the completion of any newly-infied or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conaccepted well, it shall be accepted shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 30 though 34 shall be reported for each zone. The form is to be filed in quintuplicate except on sicte land, where six copies are required, tee Hule 1105.

# INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

#### Southeastern New Mexico

.

### Northwestern New Mexico

T Ashu	T. Canyon	T. Ojo Alamo	T. Penn. "B"
<b>—</b> 6.1.	T Srawn	T. Kirtland-Fruitland	T. Penn. "C"
1. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
B. Salt	T. Miss	T. Cliff House	T. Leadville
T. Yates	T. Devonian	T Menefee	T. Madison
T. 7 Rivers	T. S.lurian	T Point Lookout	T. Elbert
-	. T. Montoya	T Mancos	T. McCrecken
427	. T. Simpson	T. Callup	T Ignacio Otzte
1375	T. Simpson		
T. Glorieta 1575	. T. Ellenburger	Base Greenhorn	T
T. Paddock 2816	T. Ellenburger	1. Dakota	- 1. <u></u>
T. Blinebry	T. Cr. Wash	T. Morrison	· 1
T. Tubb	T. Cranite	T. Todilto	· 1
T. Drinkard	. T. Eelaware Sand	T. Entrada	. T
T. Abo 3479	T. Eone Springs	T. Wingate	. T
T Wolfcamp	Т	T. Chinle	_ T
T Depp	. T	.T. Permian	. T
T. Cisco (Bough C)	T	T. Penn "A"	T
	OIL OR GAS	SANDS OR ZONES	
No. 1, from		No. 4, from	
No. 2, from		No. 5, from	to
No. 3, from	to	No. 6, from	to

# IMPORTANT WATER SANDS

Include	date	<u> An</u>	rate	of	water	inflow	and	elevation	to	which	water	rose	in	hole.
apprisat	Oata	oп	rate	0I	WALCE	mmow	DU	CICVATION		Ancn			***	

No.	1,	from	tofect.	
No.	2,	from	tofeet.	
No.	3,	from	tofcet.	
No.	4,	from	to	

From	То	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	75	75	Surface, Redbeds				
75	1756	1681	Redbecs				
1756	26 <b>39</b>	883	Anhydrite, Salt				
2639	3409	770	Anhydrite				
3409	3495	86	Shale				
3495	3564	69	Lime, Sand, Shale				
3564	3704	140	Shale, Lime				
3704	4000	296	Shale				
					Į		
		[ ]					i

FURMATION RECORD (Attach additional sheets if necessary)