NM 11799

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
CISE	RECEIVED
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
Do not use this form for proposals to drill or to deepen or plug back to a different eservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME MAY - 6 1982
1 oil — gas —	Hahn NH Federal
well well the other	9. WELL NO.
2. NAME OF OPERATOR	3 ARTESIA, OFFICE
Yates Petroleum Corporation	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR 207 South 4th St., Artesia, NM 88210	Pecos Slope-Abo Gas 11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA
below.) 1980' FNL & 660' FWL, Sec. 9-7S-25E	Unit E, Sec. 9-T7S-R25E
AT SURFACE:	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	Chaves NM
	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
NEIGHT, Shi Girian Island	3842' GR
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	J042 GK
TEST WATER SHUT-OFF	7075
FRACTURE TREAT SHOOT OR ACIDIZE	NV PS III
REPAIR WELL	(NOTE: Wendert results of multiple completion or zone
PULL OR ALTER CASING U	- 1982 (Marige on Form 9-330.)
MULTIPLE COMPLETE	
ABANDON*	GAS
(other) Perforate X U.S. GEOLOGI ROSWELL NE	CAL SURVEY W MEXICO
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly statincluding estimated date of starting any proposed work. If well is a measured and true vertical depths for all markers and zones pertine	te all pertinent details, and give pertinent dates, directionally drilled, give subsurface locations and
Note: Hole size reduced to 7-7/8" before runn	ing 4-1/2" casing.
TD 4450'. WIH and perforated 3862-75' w/13 .5	
63, 64, 65, 66, 67, 69, 70, 71, 72, 73, 74 and	
7-1/2% Spearhead acid. Sand frac perforations	
gallons 7-1/2% Spearhead acid, 40000 gallons g	
CO2 and 120000# 20/40 sand. Well stabilized a 1347 mcfpd.	t 60 psi on 3/4 choke -
1347 mc1pd.	
	20 SECORD
V	ACCEPTED FOR RECORD
	10 Sell
\	7 7 1082
	APR 2 7 1902
Subsurface Safety Valve: Manu. and Type	Set @Ft.
18. I hereby certify that the foregoing is true and correct	U.S. GEOLOGICAL SURVEY
SIGNED STATE Engineering S	POSMELL, MEZO-8Z
(This space for Federal or State o	ffice use)
APPROVED BY TITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:	

RECEIVED

MPR 21) 1982

talacs office