

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPPLICATE
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

16804

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR
Southland Royalty Company /

3. ADDRESS OF OPERATOR
1100 Wall Towers West, Midland, TX 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface
1980' FSL & 1980' FWL, Sec. 26, T-10-S, R-29-E

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Sand Ranch

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Undesignated (Morrow)

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 26, T-10-S, R-29-E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3955.6' GR

12. COUNTY OR PARISH

Chaves

13. STATE

NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other) Set 11 3/4" Surface Csg.

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Sput 15 1/2" 7-31-81 w/cable tool rig. Drl to 85'. Started drlg w/17 1/2" bit 8-22-81. Drl to 365'. Ran 9 jts 11 3/4" 42# H-40 ST&C csg. Set @ 365'. Cmt w/600 sxs Cl "C". PD @ 6:00 p.m. 8-22-81. Circ 20 sxs. WOC 18 hrs. Compressive strength of Class "C" after 24 hours is 1870 psi @ 80°F. Drl ahead w/11" bit.

AUG 26 1981

ON A GAS
U.S. GEOLOGICAL SURVEY
LOS ANGELES DISTRICT

18. I hereby certify that the foregoing is true and correct

SIGNED:

TITLE: District Operations Engineer

DATE: 8-24-81

(This space for Federal or State office use)

APPROVED BY:

TITLE:

DATE:

CONDITIONS OF APPROVAL: AUG 28 1981

*See Instructions on Reverse Side