

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or re-drilled well. It must be accompanied by one copy of all test records and it shall fully describe the well and a summary of all specified tests conducted, including depth of tests. All depths reported shall be measured depth. In the case of directionally drilled wells, true vertical depth shall also be reported. Four copies may be required for each zone. The form is to be filed in quadruplicate except on state land, where six copies are required by rule 1405.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

### Southeastern New Mexico

### Northwestern New Mexico

T. Anhy	T. Canyon	T. Ono-Alamo	T. Penn "B"
T. Salt	T. Stratton	T. Kirtland-Fruitland	T. Penn "C"
B. Salt	T. Atoka	T. Enclosed Chiffs	T. Penn "D"
T. Yates	T. Mora	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Recent Limestone	T. Elbert
T. Grayburg	T. Montoya	T. Marcos	T. McCracken
T. San Andes	542	T. Simpson	T. Lyons to Quivira
T. Glorieta	1546	T. McKee	Pine Greenhorn
T. Fullerton	2956	T. Ellerburger	T. Dakota
T. Blueberry		T. Gr. Wash	T. Morrison
T. Tubb		T. Granite	T. Tedrit
T. Drinker		T. Delaware Sand	T. Unita
T. Abe	3604	T. Bone Springs	T. Wingate
T. Wolfcamp		T.	T. Cleopatra
T. Penn		T.	T. Permian
T. Cisco (Bough C)		T.	T. Penn "A"

### OIL OR GAS SANDS OR ZONES

No. 1, from.....	to.....	No. 4, from.....	to.....
No. 2, from .....	to.....	No. 5, from.....	to.....
No. 3, from.....	to.....	No. 6, from.....	to.....

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....	to.....	feet.....
No. 2, from.....	to.....	feet.....
No. 3, from.....	to.....	feet.....
No. 4, from.....	to.....	feet.....

### FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	640	640	Surface, Redbeds				
640	950	310	Anhydrite				
950	1140	190	Anhydrite, Redbeds, Salt				
1140	2824	1684	Anhydrite, Salt				
2824	3570	746	Anhydrite				
3570	3862	292	Shale				
3862	4110	248	Anhydrite				
4110	4250	140	Anhydrite, Shale				

