		 .					<u> </u>		Form C Revise	-105 d 10-1-78
STATE OF NEW MI			P. C), вох 2	ON DI 088 EXICO 8			s	itate 🗌	pe of Lease Fee X Gas Lease No.
SANTA FE FILE U.S.G.S.	1 / WE	LL COMPLET					•	-OG		
OPERATOR		<u></u>		· []		<u> </u>	RECEIVED	,	nit Agreem	
TYPE OF COMPLETIC			DIFF AESV		OTHER	N	DV 1 0 198	31 o	arm or Lea Brien	
Total of Operation		PRPORATION /					O. C. D. RTESIA, OPHO	E 10.	6 Field and	Pool, or Wildcat
Address of Operator P. O. BOX	2203, Rosv	vell, New Me	xico	88201					in Lake	es-San Andres
	LOCATED	1700 PEET FRO	DM THE	North	LINE AND	99		FROM 12.	County	
East LINE OF SE	1	95	28E	NMPM ady to Pro	od.) 18. E	levati	lons (DF, RKB	, RT, GR, e	aves	lev. Cashinghead 3965.4
8-24-81	8-29-81	Back T.D.	-1-81	f Multiple	396 Compl., Hov		GR, 2970 23. Intervals Drilled By	Rotary To		Cable Tools
2740 Froducing interval(s),	27	39'		Many]	>	0-TD	25	5. Was Directional Surve Made
2625-2648.5	San Andre									NO 13 Well Cored NO
DLL, SNP		CAS	ING RECO)RD (Repo	rt all string	s set i	in well)		·····	AMOUNT PULLED
CASING SIZE	WEIGHT LB.	FT. DEPTH	SET	1	ESIZE		CEMENTI 85 Sacks	NG RECORI	D	AMOUNT PULLED
8 5/8" 4 1/2"	20# 9.5#	130' 2739'		77			200 sacks	5		
						<u> </u>	30.	TUE	ING RECO	DRD
	TOP	BOTTOM	SACKS	EMENT	SCREEN		SIZE		HSET	PACKER SET
51ZE							2 3/8"	2501		UEEZE, ETC.
Perforation Record (2625, 25	.5, 26, 35	, 35.5, 36,	40,40).5,	^{32.} DEPT 2625-	HINT	ERVAL	амоин 7000 ga	T AND KI	ND MATERIAL USED
41, 42,	42.5, 47.5	, 48, 48.5				2040				
				8000	UCTION					
33. Joie First Production		uction Method (Flo	owing, gas			and ty	pe pump)			ns (Prod. or Shu-in) Rucing
10-1-81	Hours Tested	Pumping Choke Size	Prod'r Test 1	n. For Period	он – вы. 13.0		Gas - MCF 6.02	1	– Вы. •5	Gas - Oil Ratio 463-1
11-6-81 Now Tubing Press.	24 hrs Casing Pressu	re Calculated 2 How Rate	1	вы. 13.0		- мсғ 6.0		er = Bbl.		1 Gravity - AP1 (Corr.) 23
30#	30# (Sold, used for fi	uel, vented, etc.)		13.0	I			1	witnessed artis S	
Sold							-			
. I hereby certiff tha	u she information	shown on both si	des of this	s form is tr			o the best of n	ny knowledg	e and beli	<i>∝ı.</i> 11–10–81
SIGNED CAL	ald MA	lli	1 1	ITLE	Presid	ent			DATE	11-10-01

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or despended well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, liems 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

	Souther	astern New Mexico	Northwestern	New Mexico
Т.	Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
т.	Salt	T. Strawn	_ T. Kirtland-Fruitland	T. Penn. "C"
B.	Selt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
Т.	Yates	T. Miss	T. Cliff House	T. Leadville
Т.	7 Rivers	T. Devonian	T. Menefee	T. Madison
т.	Queen	T. Silurian	T. Point Lookout	T. Elbert
		T. Montoya		
Т.	San Andres 1998	T. Simpson	T. Gallup	T. Ignacio Qtzte
т.	Glorieta	T. McKee	_ Base Greenhorn	T. Granite
т.	Paddock	T. Ellenburger	T. Dakota	Т
т.	Blinebry	T. Gr. Wash	T. Morrison	Т
т.	Tubb	T. Granite	_ T. Todilto	Т
т.	Drinkard	T. Delaware Sand	.T. Entrada	Т
т.	Abo	T. Bone Springs	T. Wingate	Т
T.	Wolfcamp	T	. T. Chinle	Т
Т.	Penn	T	- T. Permian	Т
т	Cisco (Bough C)	T	T. Penn. "A"	Т
		OIL OR GAS	SANDS OR ZONES	
No.	1, from	<u> </u>	No. 4, from	t 0
No.	2, from		No. 5, from	
No.	3, from		No. 6, from	

IMPORTANT WATER SANDS

Includ	c da	ta or	rate	oſ	water	inflow	and	elevation	to	which	water	TOSC	in	hole	
--------	------	-------	------	----	-------	--------	-----	-----------	----	-------	-------	------	----	------	--

No. 1, from	to		
No. 2, from	to	fcct.	*****
No. 3, from	to	fcet.	
	toto		

FORMATION RECORD (Attach additional sheets if necessary)

From	То	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation			
0 96 699 .590 .998	96 699 1590 1998 2740	96 603 891 408 742	Caliche & Red Beds Red Sand & Anhydrite Anhydrite Salt, Red Beds Anhydrite Sand, Dolo Lime (Dolomite)				• •			