

Artes 1, NM 88210
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYBMIT IN LICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 14310

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such purposes.)

RECEIVED

| | |
|---|---|
| 1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/> | 7. UNIT AGREEMENT NAME |
| 2. NAME OF OPERATOR BILL G. ISLER ✓ | 8. FARM OR LEASE NAME Kelly Jean ████████ |
| 3. ADDRESS OF OPERATOR 9720-B Candelaria, N.E., Albuquerque, New Mexico 87112 | 9. WELL NO. #1-Y |
| 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 2,060' FNL, 1,980' FEL | 10. FIELD AND POOL, OR WILDCAT Wildcat SA |
| 14. PERMIT NO. | 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4,189' GL / 4,199' K.B. |
| 12. COUNTY OR PARISH Chaves | 13. STATE N.M. |

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other)

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

T.D. 3,133'


Perf. 4½" casing @ 3041½'-3087'. Produced small amount of formation water.

CIBP set @ 3,034' w/25' of cement on top.

Perf. 4½" casing @ 2,933½'-2,980'. Slight show of oil and water.

Approx. 8/1/82:

1. Set ~~10~~ sack plug: 2,780'-2,910' 1544, TD-2883'
- * 2. Set ~~10~~ sack plug: 470'-600'.
3. Set 5 sack plug: at surface.
4. Install dry-hole marker.



- * 2. Perf 4½" casing at 590'. Circulate cement up annulus to at least 50' above 8 7/8" casing shoe. Leave 100' cement plug inside 4½" casing 590'-490'.

OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Garvil Roberts

TITLE Agent for Bill G. Isler

DATE 7/12/82

(This space for Federal or State use)

APPROVED
(Orig. Sgd.) PETER W. CHESTER
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

FOR

JAMES A. GILLHAM
DISTRICT SUPERVISOR

*See Instructions on Reverse Side