

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

C/SF  
**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other

2. NAME OF OPERATOR  
MESA PETROLEUM CO. ✓

3. ADDRESS OF OPERATOR  
1000 VAUGHN BUILDING/MIDLAND, TEXAS 79701

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 660' FNL & 660' FWL  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐

☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐

(other) 8 5/8" csg & cement

5. LEASE

NM-16324

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

RECEIVED

7. UNIT AGREEMENT NAME

DEC 15 1981

8. FARM OR LEASE NAME

Charlotte Federal

O. C. D.

9. WELL NO.

1

ARTESIA, OFFICE

10. FIELD OR WILDCAT NAME

Undesignated ABO

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec 30, T7S, R26E

12. COUNTY OR PARISH

Chaves

13. STATE

New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

3625' GR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Drilled 12 1/4" hole to 1850' and ran 44 jts 8 5/8", 24#, K-55 casing set at 1850'. Cemented with 700 sx HLW + 1# Flocele + 4% CaCl, 300 sx Thixset - 4% CaCl, and tailed in with 300 sx "C" + 2% CaCl. PD at 1:30 p.m. 11-20-81. Circulated 150 sx to surface. Tested BOP's & casing to 600 psi for 30 min.-ok. Reduced hole to 7-7/8" and drilled ahead on 11-21-81. WOC total of 18 1/2 hours.

XC: USGS (6), TLS, CEN RCDS, ACCTG, MEC, LAND, PARTNERS, ROSWELL, FILE  
Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED ROGER A. CHAPMAN

REGULATORY COORDINATOR

DATE 11-23-81

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

DEC 14 1981  
U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO