

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE	1	
FILE	1	✓
N.S.O.S.	2	
LAND OFFICE	1	
OPERATOR		

WELL COMPLETION OR RECOMPLETION REPORT AND LOG
RECEIVED

5a. Estimate Type of Lease	State ☒ Fee ☐
5. State Oil & Gas Lease No.	LG-2462

 TYPE OF WELL
 OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER ☐

DEC 2 1981

 TYPE OF COMPLETION
 NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐
O. C. D.
ARTESIA, OFFICE

7. Unit Agreement Name	
8. Form or Lease Name	Conejo RH State
9. Well No.	2

 Name of Operator
 Yates Petroleum Corporation ✓
 Address of Operator
 207 South 4th St., Artesia, NM 88210

10. Field or Pool, or other	Pecos Slope - Abo Gas
Und. Abo	

 Location of Well
 LETTER M LOCATED 660 FEET FROM THE South LINE AND 660 FEET FROM
 West LINE OF SEC. 2 TWP 7S R. 25E

12. County	Chaves
------------	--------

Date Spudded	11-8-81	16. Date T.D. Reached	11-17-81	17. Date Compl. (Ready to Prod.)	11-27-81	18. Casing (DPE, RAB, RT, GR, etc.)	3792.2' GR	19. Elev. Casinghead	
Total Depth	4370'	21. Plug Back T.D.	4318'	22. If Multiple Complet., How Many		23. Intervals Drilled By	0-4370'	24. Cable Tools	

Producing Interval(s), of this completion - Top, Bottom, Name

3820-3950' Abo

25. Was Directional Survey Made

No

 Type Electric and Other Logs Run
 CNL/FDC; DLL

 27. Was Well Cored
 No

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
20"		40'	24"	3 yds Ready Mix	
10-3/4"	40.5#	844'	14-3/4"	700	
4-1/2"	9.5#	4353'	7-7/8"	300	

 Posted ID - 2
 * Comp. Book
 SI
 12-11-81

LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2-3/8"	3937'	

Perforation Record (Interval, size and number)

3820-3950' w/13 .40" holes

ACID, SNOT, FRACTURE, CEMENT GROUTS, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
3820-3950'	SF w/3000 g. 7 1/2% acid,
	4000 g. gel KCL wtr, 2
	loads CO2, 18000# sd.

PRODUCTION

First Production	11-27-81	Production Method (Flowing, gas lift, pumping - Size and type pump)	Flowing	Well Status (Prod. or Shut-in)	SIWOPLC
Date of Test	11-27-81	Hours Tested	1-1/2	Choke Size	3/4"
Test Pressure	160	Casing Pressure	-	Calculated 24-Hour Rate	-
Oil - Bbl.	-	Gas - MCF	157	Water - Bbl.	-
Oil - Bbl.	-	Gas - MCF	2506	Water - Bbl.	-
Oil - Bbl.	-	Gas - MCF	-	Water - Bbl.	-

Disposition of Gas (Sold, used for fuel, vented, etc.)

Vented - will be sold

Test Witnessed By

Bill Hansen

List of Attachments

Deviation Survey

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNED *[Signature]*

TITLE Engineering Secretary

DATE 12-1-81

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division at a later date than the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electric log data, including formation logs, and of all other data and special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depth shall also be reported. For multiple casing bottoms, items 29 through 34 shall be reported for each casing. The form is to be filed in duplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "H"
T. Salt	T. Strawn	T. Roubidoux Shale	T. Penn. "C"
B. Salt	T. Atoka	T. Fort St. Vrain	T. Penn. "D"
T. Yates	T. Miss	T. Clinton	T. Leadville
T. 7 Rivers	T. Devonian	T. Merced	T. Madison
T. Queen	T. Siltstone	T. Fort Union	T. Elbert
T. Grayburg	T. Montoya	T. May	T. McCracken
T. San Andres 528	T. Simpson	T. Tule	T. Ignacio Quartz
T. Glorieta 1557	T. McKee	T. Huerfano	T. Granite
T. Fullerton 2977	T. Ellenburger	T. Dakota	T. ...
T. Blinberry	T. Gr. Wash	T. ...	T. ...
T. Tubb	T. Granite	T. ...	T. ...
T. Drinkard	T. Delaware Sand	T. ...	T. ...
T. Abo 3646	T. Bone Springs	T. ...	T. ...
T. Wolfcamp	T. ...	T. ...	T. ...
T. Penn.	T. ...	T. ...	T. ...
T. Cisco (Bough C)	T. ...	T. ...	T. ...

OIL OR GAS SANDS OR ZONES

No. 1, from	to	No. 5, from	to
No. 2, from	to	No. 6, from	to
No. 3, from	to	No. 7, from	to


IMPORTANT MEASUREMENTS

Include data on rate of water inflow and elevation to which water rose in well.

No. 1, from	to	feet
No. 2, from	to	feet
No. 3, from	to	feet
No. 4, from	to	feet

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1328	1328	Surface, Redbeds & Lime				
1328	1881	553	Lime & Salt				
1881	4224	2344	Lime & Shale				
4225	4370	145	Shale				



L & M DRILLING, INC. - Oil Well Drilling Contractors

P. O. BOX 672

ARTESIA, NEW MEXICO 88210

RECEIVED

DEC 3 1981

O. C. D.

ARTESIA, OFFICE

November 30, 1981

Yates Petroleum Corporation
207 South Fourth Street
Artesia, NM 88210

RE: Conejo RH State #2
660' FSL & 660' FWL
Sec. 2, T7S, R25E
Chaves County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well:

DEPTH	DEVIATION
700'	1/4°
1472'	1/2°
1938'	1/2°
2785'	3/4°
3328'	3/4°
3951'	3/4°
4370'	1°

Very truly yours,

B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before me this 30th day of November, 1981.

