NM OIT CONS. COMMISSION

Drawe. JD

Artesia, NM 88210

THE STAFES	5. LEASE
DEPARTMENT OF THE INTERIOR	NM- 14993
CASE GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)	8. FARM OR LEASE NAME
1. oil gas X other	9. WELL NO.
2. NAME OF OPERATOR MESA PETROLEUM CO	4 10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	UNDESIGNATED ABO
1000 VAUGHN BUILDING/MIDLAND, TEXAS 79701 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	11. SEC., T., R., M., OR BLK. AND SURVEY OR SEC 4, T7S, R25E
below.)	
AT SURFACE: 660' FSL & 1980' FWL AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE CHAVES NEW MEXICO
AT TOTAL DEPTH:	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) 3827 GR
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	3027 GR
TEST WATER SHUT-OFF	Constitution of the second
FRACTURE TREAT SHOOT OR ACIDIZE Grace Gr	
REPAIR WELL	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING [] [] [] ATO 1	7 1981 change on Form 9–330.)
MULTIPLE COMPLETE	and the second
ARANDONE O OUT	
	PICAL SURVEY CHV/ MEXHCC
 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent 	irectionally drilled, give subsurface locations and
Drilled 12 1/4" hole to 1840' and ran 45 jts 8-5 1840'. Cemented with 750 sx HLW + 1# flocele + + 4% CaCl, and tailed in with 300 sx "C" + 2% Ca 12-7-81. Cement did not circulate. Ran temp su one plug with 300 sx "C" + 2% CaCl + 5# KCL + 3/ to tie back cement at 370'. Tested BOPs and cas OK. Reduced hole to 7-7/8" and drilled ahead on 24 hours.	4% CaCl, 300 sx thixset Cl. PD at 12:00 Noon rvey - TOC at 900'. Set 10% Halad-4 + 2/10% CFR-2 ing to 600 psi for 30 mins -
XC: USGS (6), TLS, CEN RCDS, ACCTG, MEC, REM, Subsurface Safety Valve: Manu. and Type	PARTNERS, ROSWELL, FILE
18. I hereby certify that the foregoing is true and correct	
SIGNED R. F. Plants TIREGULATORY COORD	INATOBATE 12-9-81
ACCEPTED TO RECORD (This space for Federal or State off	ice use)
APPROVED BY PETER W. CHESTER	DATE
DEC 281981	
U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO *See Instructions on Reverse S	Side

Form Approved.

Budget Bureau No. 42-R1424