

NEW MEXICO OIL CONSERVATION COMMISSION  
DRAWER 10  
ARTESIA, NEW MEXICO

FIELD REPORT FOR CEMENTING OF WELLS

Operator <u>Umax Inc.</u>		Lease <u>Cannon Fee</u>		Well # <u>2-y</u>	
Location of Well	Unit <u>A</u>	Section <u>17</u>	Township <u>10</u>	Range <u>27</u>	County <u>Chaves</u>
Drilling Contractor <u>Culbertson</u>			Type of Equipment		

APPROVED CASING PROGRAM

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement

Casing Data:

Surface \_\_\_\_\_ joints of \_\_\_\_\_ inch \_\_\_\_\_ # Grade \_\_\_\_\_  
(Approved) (Rejected) \_\_\_\_\_

Inspected by \_\_\_\_\_ date \_\_\_\_\_

Cementing Program

Size of hole \_\_\_\_\_ Size of Casing \_\_\_\_\_ Sacks cement required \_\_\_\_\_

Type of Shoe used guide Float collar used Insert Btm 3 jts welded yes

TD of hole 824' Set 735' Feet of 4 1/2" Inch 10.5 # Grade \_\_\_\_\_

New-used csg. @ 735' with 95 sacks neat cement around shoe  
+ \_\_\_\_\_ sax \_\_\_\_\_ additives \_\_\_\_\_

Plug down @ 10:30 (AM) (PM) Date 3/18/82

Cement circulated yes No. of Sacks 205x

Cemented by Halliburton Witnessed by Miss Stillfield

Temp. Survey ran @ \_\_\_\_\_ (AM) (PM) Date \_\_\_\_\_ top cement @ \_\_\_\_\_

Casing test @ \_\_\_\_\_ (AM) (PM) Date \_\_\_\_\_

Method Used \_\_\_\_\_ Witnessed by \_\_\_\_\_

Checked for shut off @ \_\_\_\_\_ (AM) (PM) Date \_\_\_\_\_

Method used \_\_\_\_\_ Witnessed by \_\_\_\_\_

Remarks: \_\_\_\_\_