

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

NM OIL & GAS COMMISSION
(Other instruction
drawn from)
Artesia, NM 88210

Form approved
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☒ OTHER ☐

2. NAME OF OPERATOR
Sanders Petroleum Corporation

3. ADDRESS OF OPERATOR
11000-D Spain Road NE, Albuquerque, NM 87111

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
1980' FSL & 660' FWL Sec. 22

14. PERMIT NO.

15. ELEVATIONS (Show whether DP, RT, GR, etc.)
3753' GL

5. LEASE DESIGNATION AND SERIAL NO.
NM 38343

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Michael Eric O.C.D.

9. WELL NO.
#2 ARTESIA, OFFICE

10. FIELD AND POOL, OR WILDCAT
Undesignated

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 22, 7S, 26E
It-L

12. COUNTY OR PARISH
Chaves

13. STATE
NM

RECEIVED

DEC 31 1981

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) Casing & Cement <input checked="" type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Spudded 12-1/4" hole 10:00 p.m. 12-3-81. Ran 21 jts. 8-5/8" 24# J-55 API casing, set at 840'. Cemented with 400 sx. Pacesetter 65/35 3% CaCl (12.8#) plus 250 sx. Class "C" 3% CaCl (14.8#). Plug down 3:00 p.m. 12-5-81. Circulated cement, circulated out 150 sx.

Ran 109 jts. 4-1/2" 11.6# J-55 casing, set at 4526'. Cemented with 155 sx. 35/65 Poz, 12.75#/gal., followed by 130 sx. Self-Stress, 14.8#/gal. Plug down 2:00 a.m. 12-14-81. Top of float collar 4483'. Top of cement by temperature survey 3080'.

RECEIVED
DEC 18 1981

OIL & GAS
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED ROGER A. CHAPMAN
(This space for Federal or State office use)

TITLE President

DATE 12-16-81

APPROVED BY DEC 28 1981
CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

See Instructions on Reverse Side