Form Approved. Budget Bureau No. 42-R1424

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY** 

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)

other

1050 17th Street, Suite 1950 Denver, CO 80265 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17

1980' FSL and 1980' FEL (NWSE)

gas

 $\mathbf{x}$ 

JACK GRYNBERG AND ASSOCIATES

2. NAME OF OPERATOR

3. ADDRESS OF OPERATOR

AT TOP PROD. INTERVAL:

well

below.)

AT SURFACE:

5. LEASE NM-17037 DECENTED 3

6.	IF INDIAN, ALLOTTEE OR TRIBE NA N/A	AME RC	. C., Se. 6	) [. 8.m)
7.	UNIT AGREEMENT NAME	FEB	24	1982

N/A		,	
8. FARM OR LI	EASE NAME	1011 0.	. C. D.

8. FARM OR I	LEAS	ENAME		$\circ$	· n
8. FARM OR I	17	Federal	"Com"	٠.٠٠	J. D.
9. WELL NO.				ARIESIA	, OFFICE

1	
10. FIELD OR WILDCAT NAME	_
Undesignated Abo	

11. SEC	., T., I	R., M.,	OR BLK	AND	SURVEY	OR
ARE	:A					
Coo	17	ጥሬር	_D25F			

Sec. 17, 105-K2.	)E
12. COUNTY OR PARISH	13. STATE
Chaves	NM

AT TOTAL DEPTH:	14. API NO.	INTI
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	14. API NO.	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW 3944.69'	DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF		<del> </del>
TEST WATER SHUT-OFF		ultiple completion or zone 330.)

1/31/82 Ran 28 Jts., set @898' 10 3/4" csg. 32# J-55; cemented with 300 sxs Class "C" with 1/2# flo cel and 2% cal chl., 300 sxs Halliburton Lite with 1/4# flo cel, 2% cal chl. WOC 18 Hrs. Circ. back to surface 45 sxs. PT csg to 800 psi.

Subsurface Safety Valve: Manu. and Type		Set @	Ft.
18. I hereby certify that the foregoing is true and correct			
SIGNED LAND MANAGER DA	TE	2/2/82	
APPROVED BY A. CHAP MAN TITLE CONDITIONS OF APPROVAL, IF ANY:	DATE		
FEB 1 6 1662			
U.S. GEOLOGICAL SURVEY  See Instructions on Reverse Side			

<sup>17.</sup> DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*