Form 9-331 Dec. 1973

Drawer DD Artesia, NM 88210

Form Approved. Budget Bureau No. 42-R1424

UNITED STATES DEPARTMENT OF THE INTERIOR C/SF **GEOLOGICAL SURVEY**

5. LEASE		,	
NM-28306			
6. IF INDIAN,		OR TRIBE	NAME
7. UNIT AGRE	EMENT N	AME	RECEIV
8. FARM OR L	EASE NAM	1E	
Coyote D	raw F	eder 🎶	AR 1 1 1
9. WELL NO.	,		
2		(0. C. D
10: FIELD OR V	VILDCAT N	IAME ART	ESIA, OFF
11. SEC., T., R. AREA			URVEY OR
Section	6-T8S	-R25E	
12. COUNTY O			E
Chaves		NM	
14. API NO.			

SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME RECEIVED		
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME		
1. oil gas well other	Coyote Draw Feder MAR 1 1 198		
2. NAME OF OPERATOR McClellan Oil Corporation /	2 O. C. D. 10: FIELD OR WILDCAT NAME ARTESIA, OFFICE		
3. ADDRESS OF OPERATOR P. O. Drawer 730, Roswell, NM 88202	11. SEC., T., R., M., OR BLK. AND SURVEY OR		
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 1980' FNL & 660' FWL	AREA Section 6-T8S-R25E 12. COUNTY OR PARISH 13. STATE		
AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	Chaves NM 14. API NO.		
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) 3740' G.L.		
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	3740 d.L.		
MULTIPLE COMPLETE	(NOTE: Report results of multiple completion or zone change on Form 9–330.)		
ABANDON* Casing and Cement Coswell New	"AL SURVEY		

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

T.D. at 3975'. Ran Schlumberger CNL-FDC and DLL-Micro SFL. 2/23/82:

2/24/82:

Ran 3909' of 4-1/2", 10.5 lb/ft J-55 casing. Cemented with 350 sx Class "C", 50-50 Poz with 2% gel, .3% CFR-2, .3% Halad-4, 6 lb/sx salt. WOC - 4 hours. Nipple up

wellhead. Release rig.

2/25/82:

Temperature Survey after 12 hours. TOC - 2990'.

PBTD - 3860'.

Subsurface Safety Valve: Manu. and	d Type		Set @	Ft.
18. I hereby certify that the forego	ing is true and correct			
SIGNED / Complete	Co Co TITLE Engineer	DATE3/0	02/82	
	(This space for Federal or State office	use)		
APPROVED BY	TITLE	DATE	ACCEPTED	FOR RECURD
CONDITIONS OF APPROVAL, IF ANY:				

*See Instructions on Reverse Side

U.S. GEOLOGICAL SURVEY POSWELL, NEW MENT