Drawer DD	O' Form Approved.
Dec. 1973 Artesia, NM 8021	Budget Bureau No. 42–R1424
UNITED STATES DEPARTMENT OF THE INTERIOR	5. LEASE NM 2357
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
c/se declodione obitient	RECEIVE
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)	8. FARM OR LEASE NAME APR 2 198 Federal "HJ"
1. oil gas well well XX other	9. WELL NO. O. C. D.
2. NAME OF OPERATOR	6 ARTESIA, OFFIC
Yates Petroleum Corporation / 3. ADDRESS OF OPERATOR	10. FIELD OR WIJDCAT NAME Undesignated Abo
207 S. 4th, Artesia, New Mexico 88210 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
below.)	Sec. 31-T6S-R26E
AT SURFACE660' FNL and 660' FEL AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE Chaves NM
AT TOTAL DEPTH: same	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) 3665.6 GL
PULL OR ALTER CASING Image: Complete interval MULTIPLE COMPLETE Image: Complete interval CHANGE ZONES Image: Complete interval ABANDON* Image: Complete interval (other) Image: Complete interval	change on Form 9–330.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stat including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertiner Change casing program from: 12 1/4" hole w/	lirectionally drilled, give subsurface locations and nt to this work.)* 8 5/8" casing to 950'
	4 1/2 casing to TD
	E BACK MAR 23 1982
7 7/8" hole w/ To: 14 3/4" hole w/10 3/4" casing to 900'CIR 9 7/8" hole w/8 5/8" casing to 1580' 7/	CURECTERTON
7 7/8" hole w/ To: 14 3/4" hole w/10 3/4" casing to 900'CIR 9 7/8" hole w/8 5/8" casing to 1580' 7/	CULTE CESTIVIS E BACK MAR 23 1982 U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO
7 7/8" hole w/ To: 14 3/4" hole w/10 3/4" casing to 900'CIR 9 7/8" hole w/8 5/8" casing to 1580' 77 7 7/8" hole w/4 1/2" casing to TD.	CULTE CESTIVIS E BACK MAR 23 1982 U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO
 7 7/8" hole w/ To: 14 3/4" hole w/10 3/4" casing to 900'CIR 9 7/8" hole w/8 5/8" casing to 1580' 7/ 7 7/8" hole w/4 1/2" casing to TD. Subsurface Safety Valve: Manu. and Type	OIL & GAS U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO Set @ Ft.
7 7/8" hole w/ To: 14 3/4" hole w/10 3/4" casing to 900'CIR 9 7/8" hole w/8 5/8" casing to 1580' 7/ 7 7/8" hole w/4 1/2" casing to TD. Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and correct SIGNED Man S. Uniformative Regulatory Se	CULTE CERTIFICATION ON AR 23 1982 OIL & GAS U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO Set @ Ft. CCY. DATE 3/18/82
7 7/8" hole w/ To: 14 3/4" hole w/10 3/4" casing to 900'CIR 9 7/8" hole w/8 5/8" casing to 1580' 7/ 7 7/8" hole w/4 1/2" casing to TD. Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and correct SIGNED August State of	CULTE CERTIFICATION AND CONTROL & GAS U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO Set @ Ft. CY. DATE 3/18/82
To: 14 3/4" hole w/10 3/4" casing to 900'CIR 9 7/8" hole w/8 5/8" casing to 1580' 7/ 7 7/8" hole w/4 1/2" casing to TD. Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and correct SIGNED Advance Guild Guild Correct SIGNED Advance Guild Guild Correct SIGNED Advance Guild Correct Signed Advance Guild Correct Signed Advance Guild Correct Signed Advance Guild Correct Gu	CULTE CERTIFICATION AND CONTROL & GAS U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO Set @ Ft. CY. DATE 3/18/82
To: 14 3/4" hole w/10 3/4" casing to 900'CIR 9 7/8" hole w/8 5/8" casing to 1580' 7/ 7 7/8" hole w/4 1/2" casing to TD. Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and correct SIGNED A Company of Contract State of APPROVED BY CONDITIONS OF APPROVAL, IF ANY: MAR 2.5 1982	CULTE CERTIFICATION AND CONTROL & GAS U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO Set @ Ft. CY. DATE 3/18/82
To: 14 3/4" hole w/10 3/4" casing to 900'CIR 9 7/8" hole w/8 5/8" casing to 1580' 7/ 7 7/8" hole w/4 1/2" casing to TD. Subsurface Safety Valve: Manu. and Type 18. I hereby certify that the foregoing is true and correct SIGNED Advance Guild Guild Correct SIGNED Advance Guild Guild Correct SIGNED Advance Guild Correct Signed Advance Guild Correct Signed Advance Guild Correct Signed Advance Guild Correct Gu	CULTE ARR 23 1982 OIL & GAS U.S. GEOLOGICAL SURVEY U.S. GEOLOGICAL SURVEY NEW MEXICO ROSWELL, NEW MEXICO Set @ Ft. CY. DATE <u>3/18/82</u> fice use) DATE

×.