

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE\*

(See instructions on  
reverse side)Form approved  
Budget Bureau No. 4-R355.5.

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other ☐  
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐RECEIVED  
JUN 1 1982

2. NAME OF OPERATOR

Yates Petroleum Corporation

O. C. D.  
ARTESIA, OFFICE

3. ADDRESS OF OPERATOR

207 South 4th St., Artesia, NM 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)\*

At surface 990 FSL &amp; 660 FEL, Sec. 31-6S-26E

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

12. COUNTY OR  
PARISH  
Chaves13. STATE  
NM

15. DATE SPUDDED 5-19-82 16. DATE T.D. REACHED 5-26-82 17. DATE COMPL. (Ready to prod.) 6-17-82 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)\* 3651.5' GR 19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD &amp; TVD 4275' 21. PLUG, BACK T.D., MD &amp; TVD 4221' 22. IF MULTIPLE COMPL., HOW MANY\* 23. INTERVALS DRILLED BY 0-4275' ROTARY TOOLS CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)\*

3684-4045' Abo

25. WAS DIRECTIONAL  
SURVEY MADE  
No

26. TYPE ELECTRIC AND OTHER LOGS RUN

CNL/FDC; DLL

27. WAS WELL CORED  
No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
20"		70'	24"		
10-3/4"	40.5#	910'	14-3/4"	700	
4-1/2"	10.5#	4275'	7-7/8"	400	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-3/8"	3625'	3626'

31. PERFORATION RECORD (Interval, size and number)

3684-4045' w/25 .50" holes

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
3684-4045'	w/2500 g. 7 1/2% HCL acid. Frac'd w/60000 g. gel KCL wtr, 100000# 20/40 sd.

33.\* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)					WELL STATUS (Producing or shut-in)	
6-17-82		Flowing					SIWOPLC	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO	
6-17-82	4	1/2"	→	-	369	-	-	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API CORR.		
340	Packer	→	-	2211	-	-		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Vented - Will be sold

TEST WITNESSED BY

Larry Dade

35. LIST OF ATTACHMENTS

Deviation Survey

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE

Engineering Secretary

DATE 6-18-82

\*(See Instructions and Spaces for Additional Data on Reverse Side)

**General:** This form is designed for submitting a complete and correct, well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.


**Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identifying, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

**Item 29:** "Secks Cement". Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

**Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS, AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL, TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

U.S. GOVERNMENT PRINTING OFFICE: 1963-O-683636



**L & M DRILLING, INC. - Oil Well Drilling Contractors**

P. O. BOX 672

ARTESIA, NEW MEXICO 88210

May 31, 1982

Yates Petroleum Corporation ✓  
207 South Fourth Street  
Artesia, NM 88210


RE: Federal HJ #7  
990' FSL & 660' FEL  
Sec. 31, T6S, R26E  
Chaves County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
684'	1/4°
911'	1/4°
1437'	1/4°
1936'	1/2°
2398'	1/2°
2895'	1/2°
3604'	3/4°
4275'	3/4°

Very truly yours,

  
B. N. Muncy Jr.  
President

STATE OF NEW MEXICO  
COUNTY OF EDDY

§  
§

The foregoing was acknowledged before me this 31st day of May, 1982.

