

- D. Turnouts: None required on this short roadway.
  - E. Drainage design: The new road will be 20 feet wide and crowned for drainage.
  - F. Culverts: It is anticipated that no culvert will be required.
  - G. Cuts and fills: None anticipated
  - H. Gates and cattleguards: None required.
- 3. Location of existing wells:
    - A. Existing wells within a two mile radius are illustrated on Exhibit "C".
  - 4. Location of existing and/or proposed facilities:
    - A. Will construct battery on well pad and no additional surface disturbance will occur.
  - 5. Location and type of water supply:
    - A. Purchase and haul water over existing roads illustrated on Exhibits "A", "B" and "C".
  - 6. Source of construction materials:
    - A. Caliche for surfacing the access roads and the well pad will be obtained from an existing pit in the SW/4 SE/4 of Section 15, T7S, R26E. This pit has been cleared by the BLM.
  - 7. Methods of Handling waste disposal:
    - A. Drill cuttings will be disposed of in the drilling pits.
    - B. Drilling fluids will be allowed to evaporate in the drilling pits until pits are dry.
    - C. Water produced during test will be disposed of in the drilling pits. Oil produced during tests will be stored in test tanks until sold.
    - D. Current Laws and Regulations pertaining to the disposal of human waste will be complied with.
    - E. Trash, waste paper, garbage and junk will be buried in a separate trash pit and covered with a minimum 24 inches of dirt. All waste material will be contained to prevent scattering by the wind. Location of trash pit is shown on Exhibits "D" and "E".
    - F. All trash and debris will be buried or removed from the wellsite within 30 days after finishing drilling and/or completion operations.
  - 8. Ancillary facilities: None required