

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE\*

Form approved.  
Budget Bureau No. 42-R355.5.NM OIL CONS. COMMISSION  
Instructions on  
reverse side)

Drawer DD

Artesia, NM 88210

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG \*

|                                                                                                                                   |  |                                                                           |                                              |                                   |                                    |                                                |                                |                                                        |               |                                               |                 |                         |               |
|-----------------------------------------------------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------|----------------------------------------------|-----------------------------------|------------------------------------|------------------------------------------------|--------------------------------|--------------------------------------------------------|---------------|-----------------------------------------------|-----------------|-------------------------|---------------|
| 1a. TYPE OF WELL:                                                                                                                 |  | OIL WELL <input type="checkbox"/>                                         | GAS WELL <input checked="" type="checkbox"/> | DRY <input type="checkbox"/>      | Other <input type="checkbox"/>     |                                                |                                |                                                        |               |                                               |                 |                         |               |
| b. TYPE OF COMPLETION:                                                                                                            |  | NEW WELL <input checked="" type="checkbox"/>                              | WORK OVER <input type="checkbox"/>           | DEEP-EN <input type="checkbox"/>  | PLUG BACK <input type="checkbox"/> | DIFF. RESVR. <input type="checkbox"/>          | Other <input type="checkbox"/> |                                                        |               |                                               |                 |                         |               |
| 2. NAME OF OPERATOR                                                                                                               |  | DEPCO, INC.                                                               |                                              |                                   |                                    | O. C. D.                                       |                                |                                                        |               |                                               |                 |                         |               |
| 3. ADDRESS OF OPERATOR                                                                                                            |  | 800 CENTRAL, ODESSA, TX 79761                                             |                                              |                                   |                                    | ARTESIA, OFFICE                                |                                |                                                        |               |                                               |                 |                         |               |
| 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*                                      |  | At surface G-1980 FN & EL, Sec. 34, T-7-S, R-26-E                         |                                              |                                   |                                    |                                                |                                |                                                        |               |                                               |                 |                         |               |
| At top prod. interval reported below                                                                                              |  |                                                                           |                                              |                                   |                                    |                                                |                                |                                                        |               |                                               |                 |                         |               |
| At total depth                                                                                                                    |  |                                                                           |                                              |                                   |                                    |                                                |                                |                                                        |               |                                               |                 |                         |               |
| 14. PERMIT NO.                                                                                                                    |  | DATE ISSUED                                                               |                                              |                                   |                                    |                                                |                                |                                                        |               |                                               |                 |                         |               |
| 15. DATE SPUDDED                                                                                                                  |  | 16. DATE T.D. REACHED                                                     |                                              | 17. DATE COMPL. (Ready to prod.)  |                                    | 18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*        | 19. ELEV. CASINGHEAD           |                                                        |               |                                               |                 |                         |               |
| 5-8-82                                                                                                                            |  | 5-17-82                                                                   |                                              | 6-5-82                            |                                    | 3768 GR                                        | 3768 GR                        |                                                        |               |                                               |                 |                         |               |
| 20. TOTAL DEPTH, MD & TVD                                                                                                         |  | 21. PLUG, BACK T.D., MD & TVD                                             |                                              | 22. IF MULTIPLE COMPL., HOW MANY* |                                    | 23. INTERVALS DRILLED BY                       | ROTARY TOOLS                   | CABLE TOOLS                                            |               |                                               |                 |                         |               |
| 4555'                                                                                                                             |  | 4535'                                                                     |                                              |                                   |                                    | 0-4555'                                        |                                |                                                        |               |                                               |                 |                         |               |
| 24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*                                                     |  | 4085-4508                                                                 |                                              |                                   |                                    | ABO                                            |                                | 25. WAS DIRECTIONAL SURVEY MADE                        |               |                                               |                 |                         |               |
| 26. TYPE ELECTRIC AND OTHER LOGS RUN                                                                                              |  | CNL & DLL                                                                 |                                              |                                   |                                    | 27. WAS WELL CORED                             |                                | NO                                                     |               |                                               |                 |                         |               |
| 28. CASING RECORD (Report all strings set in well)                                                                                |  |                                                                           |                                              |                                   |                                    |                                                |                                |                                                        |               |                                               |                 |                         |               |
| CASING SIZE                                                                                                                       |  | WEIGHT, LB./FT.                                                           |                                              | DEPTH SET (MD)                    |                                    | HOLE SIZE                                      |                                | CEMENTING RECORD                                       | AMOUNT PULLED |                                               |                 |                         |               |
| 8 5/8                                                                                                                             |  | 24 & 32#                                                                  |                                              | 918                               |                                    | 12 1/4                                         |                                | 560 sx circ. 60sx                                      | NONE          |                                               |                 |                         |               |
| 4 1/2                                                                                                                             |  | 10.50#                                                                    |                                              | 4555'                             |                                    | 7 7/8                                          |                                | 900 sx TOC 1000'                                       | NONE          |                                               |                 |                         |               |
| 29. LINER RECORD                                                                                                                  |  |                                                                           |                                              |                                   |                                    | 30. TUBING RECORD                              |                                |                                                        |               |                                               |                 |                         |               |
| SIZE                                                                                                                              |  | TOP (MD)                                                                  |                                              | BOTTOM (MD)                       |                                    | SACKS CEMENT*                                  |                                | SCREEN (MD)                                            | SIZE          | DEPTH SET (MD)                                | PACKER SET (MD) |                         |               |
|                                                                                                                                   |  |                                                                           |                                              |                                   |                                    |                                                |                                |                                                        | 2 3/8"        | 4388'                                         |                 |                         |               |
| 31. PERFORATION RECORD (Interval, size and number)                                                                                |  | 1 SPF @ 4085-89, 4321-33, 4344-58, 4396-98, 4485-4508, 45 shots 40" holes |                                              |                                   |                                    | 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC. |                                |                                                        |               |                                               |                 |                         |               |
|                                                                                                                                   |  |                                                                           |                                              |                                   |                                    | DEPTH INTERVAL (MD)                            |                                | AMOUNT AND KIND OF MATERIAL USED                       |               |                                               |                 |                         |               |
|                                                                                                                                   |  |                                                                           |                                              |                                   |                                    | 4085-4508                                      |                                | 7000 gals. 7 1/2% HCL                                  |               |                                               |                 |                         |               |
|                                                                                                                                   |  |                                                                           |                                              |                                   |                                    |                                                |                                | 72850 gal. Mini Max II                                 |               |                                               |                 |                         |               |
|                                                                                                                                   |  |                                                                           |                                              |                                   |                                    |                                                |                                | 43179# 20/40 sd & 14,000 gals. Co2 & 26.019# 10/20 sd. |               |                                               |                 |                         |               |
| 33.* PRODUCTION                                                                                                                   |  |                                                                           |                                              |                                   |                                    |                                                |                                |                                                        |               |                                               |                 |                         |               |
| DATE FIRST PRODUCTION                                                                                                             |  | PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)      |                                              |                                   |                                    | WELL STATUS (Producing or shut-in)             |                                |                                                        |               |                                               |                 |                         |               |
| 6-7-82                                                                                                                            |  | Flowing                                                                   |                                              |                                   |                                    | Shut in                                        |                                |                                                        |               |                                               |                 |                         |               |
| DATE OF TEST                                                                                                                      |  | HOURS TESTED                                                              |                                              | CHOKE SIZE                        |                                    | PROD'N. FOR TEST PERIOD                        |                                | OIL—BBL.                                               |               | GAS—MCF.                                      |                 | WATER—BBL.              | GAS-OIL RATIO |
| 6-21-82                                                                                                                           |  | 4                                                                         |                                              | 9 - 18/64                         |                                    |                                                |                                | 0                                                      |               | 126                                           |                 | 0                       | 0             |
| FLOW. TUBING PRESS.                                                                                                               |  | CASING PRESSURE                                                           |                                              | CALCULATED 24-HOUR RATE           |                                    | OIL—BBL.                                       |                                | GAS—MCF.                                               |               | WATER—BBL.                                    |                 | OIL GRAVITY-API (CORR.) |               |
| 170                                                                                                                               |  | 850                                                                       |                                              |                                   |                                    | 0                                              |                                | 756                                                    |               |                                               |                 |                         |               |
| 34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)                                                                        |  | Shut in waiting on pipe line                                              |                                              |                                   |                                    |                                                |                                |                                                        |               |                                               |                 |                         |               |
| 35. LIST OF ATTACHMENTS                                                                                                           |  | Dev. Sur. C-122 CNL, DLL                                                  |                                              |                                   |                                    |                                                |                                |                                                        |               |                                               |                 |                         |               |
| 36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records |  |                                                                           |                                              |                                   |                                    |                                                |                                |                                                        |               |                                               |                 |                         |               |
| SIGNED                                                                                                                            |  | R.L. Donney                                                               |                                              |                                   |                                    | TITLE                                          |                                |                                                        |               | Chief Production Clerk                        |                 |                         |               |
|                                                                                                                                   |  |                                                                           |                                              |                                   |                                    |                                                |                                |                                                        |               | U.S. GEOLOGICAL SURVEY<br>ROSSELL, NEW MEXICO |                 |                         |               |

\* (See Instructions and Spaces for Additional Data on Reverse Side)

# INSTRUCTIONS

**General:** This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

**Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

**Item 29:** "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

**Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

| 37. SUMMARY OF POROUS ZONES:<br>SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES |     |        |                             | 38. GEOLOGIC MARKERS |             |                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------|-----------------------------|----------------------|-------------|------------------|
| FORMATION                                                                                                                                                                                                                                          | TOP | BOTTOM | DESCRIPTION, CONTENTS, ETC. | NAME                 | MEAS. DEPTH | TRUE VERT. DEPTH |
|                                                                                                                                                                                                                                                    |     |        |                             | Measured from KB     | 788         |                  |
|                                                                                                                                                                                                                                                    |     |        |                             | San Andres           | 1940        |                  |
|                                                                                                                                                                                                                                                    |     |        |                             | Glorieta             | 3353        |                  |
|                                                                                                                                                                                                                                                    |     |        |                             | Tubb                 | 4058        |                  |
|                                                                                                                                                                                                                                                    |     |        |                             | Abo                  | 4555        |                  |
|                                                                                                                                                                                                                                                    |     |        |                             | TD                   |             |                  |



KENNETH D. REYNOLDS - ARTESIA  
LESLIE K. EVERTSON - ROSWELL

DRILLING CO., INC. - OIL WELL DRILLING CONTRACTORS

P. O. Box 2055 ROSWELL, NEW MEXICO 88201  
TELEPHONES: ARTESIA 505/746-6757  
ROSWELL 505/623-5070

May 19, 1982

RECEIVED

JUL 6 1982

O. C. D.  
ARTESIA, OFFICE

Depco, Inc.  
800 Central  
Odessa, Texas 79761

Re: Vance/<sup>A</sup>Federal #1 ~~741~~

Gentlemen:

The following is a Deviation Survey of the above well located  
in Chaves County, New Mexico.

552' - 3/4<sup>o</sup>  
920' - 3/4<sup>o</sup>  
1412' - 3/4<sup>o</sup>  
1872' - 1/2<sup>o</sup>  
2365' - 1/2<sup>o</sup>

2854' - 3/4<sup>o</sup>  
3348' - 1<sup>o</sup>  
3811' - 3/4<sup>o</sup>  
4082' - 1 1/4<sup>o</sup>  
4555' - 3/4<sup>o</sup> T.D.

Yours very truly,

WEK DRILLING CO., INC.

*Arnold Newkirk*  
Arnold Newkirk

STATE OF NEW MEXICO )  
COUNTY OF CHAVES )

The foregoing was acknowledged before me this 19<sup>th</sup> day  
of May, 1982 by Arnold Newkirk.

My Commission Expires:

1/12/85

Betty Ann Rogers  
Notary Public