

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

Oil Cons.  
N.M. Div-Dist. 2  
1301 W. Grand Avenue  
Artesia, NM 88210  
FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993  
Designation and Serial No.  
NM-11795

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	6. If Indian, Allottee or Tribe Name NA
2. Name of Operator Jack J. Grynberg	7. If Unit or CA, Agreement Designation NA
3. Address and Telephone No. 5299 DTC Blvd. Suite 500, Greenwood Village, Colorado 80111 Tel: (303) 850-7490	8. Well Name and No. Hobbs Canyon Fed #4
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 660 FNL & FEL Sec. 12, T6S, R24E	9. API Well No. 30-005-61514
	10. Field and Pool, or Exploratory Area Abo
	11. County or Parish, State Chaves, NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input checked="" type="checkbox"/> Notice of Intent	<input checked="" type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

This well will be plugged as follows:

1. Set CIBP @ 3625 and cap with 35' cement.
2. Circ hole with salt gel mixed w/ 25#/bbl brine water.
3. Equalize 100' cement plug inside 4½ casing from 1500' to 1400'.
4. Perforate 4½ casing at 900'. Equalize 75sx plug inside and outside 4½ casing. Tag plug.
5. Cut off casing strings 2' below ground level.
6. Lay 10 sk cement plug inside 4½ casing at surface.
7. Install dry hole marker 4' above ground level.
8. Cut off anchors and flowline 1' below ground level.
9. Clean and level location.

10 3/4 @ 852  
4½ @ 4040  
Perf. 3673-86  
PBT0 3740  
TOC 852  
Glorietta 1452

Accepted for record - NMOCD

14. I hereby certify that the foregoing is true and correct

Signed DAVID R. GLASS Title Engineer Date 3/7/2002

(This space for Federal or State Office Use)

Approved by (ORIG. SGD.) DAVID R. GLASS Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval, if any:

SEE ATTACHED FOR

CONDITIONS OF APPROVAL

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any Federal agency or to any officer or employee of any Federal agency any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

PETROLEUM ENGINEER

\*See Instruction on Reverse Side

2012/03/13 AM 9:49

RECEIVED

2012/03/13 AM 9:49