## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-dified or despend well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drift stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical dopths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southe	eastern New Mexico	Northwestem New Mexico		
T. Anhy	T. Canyon   T. Strawn   T. Atoka   T. Miss   T. Devonian   T. Silurian   T. Silurian   T. Silurian   T. Silurian   T. Montoya   T. Simpson   T. Simpson   T. Bines compared and	T. Ojo Alamo   T. Kirtland Fruitland   T. Pictured Cliffs   T. Cliff House   T. Menefee   T. Point Lookout   T. Mancos   T. Gallup   Base Greenhorn   T. Morrison   T. Todilto   T. Entrada   T. Wingate	T. Penn. ''B''   T. Penn. ''C''   T. Penn. ''D''   T. Leadville   T. Leadville   T. Madison   T. Elbert   T. McCracken   T. Ignacio Qtzte   T. Granite   T. T.   T.	
T Cisco (Bough C)	TOIL OR GAS	T. Penn. "A" S SANDS OR ZONES	T T	
No. 2, from	to	No. 5, from	to	
	IMPORTAN	IT WATER SANDS		

Include data on rate of water inflow and elevation to which water rose in hole.

.---

No.	1, :	'rom	to	••••••		
No. 2	2,	rom	tofce			
No. 1	3, :	rom	to	• • • • • • • • • • • • • • • • • • • •		
No.	<b>i</b> , i	'rom	tofcel			
	FORMATION RECORD (Attach additional sheets if necessary)					

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
()	750	750	Surface, Redbeds				
750	3224		Anhydrite				
3224	35 36		Anhydrice, Lime				
35 36	3757		Shale, Sand				
3757	4100	343	Shale				
					1		
					ţ		
					1		