NW OIL CONS. COMMISSION

Drawer

Artesia, NM 88210

SUBMIT IN TRIPLLJATE\*

UNITED STATES DEPARTMENT OF THE INTERIOR (Other instructions on

Form approved. Budget Bureau No. 42-R1425. 30-005-61628

	DEPARTMENT	5. LEASE DESIGNATION	AND SERIAL NO.					
	GEOLOG	NM-36648						
APPLICATION	FOR PERMIT T	6. IF INDIAN, ALLOTTEE	OR TRIBE NAME					
1a. TYPE OF WORK	LL 🖸	DEEPEN		PLUG BA		7. UNIT AGREEMENT N.	AMB	
b. TYPE OF W.ELL OH. GA WELL WI	S OTHER		SINGL ZONE	RECEIVED	,rr 🗌	S. FARM OR LEASE NAM	Œ	
2. NAME OF OPERATOR				1: (%) 3 400	_	CHINA FED	ERAL	
MESA PETROLEUM CO.				JUN 1 198	۷	9. WELL NO.		
3. ADDRESS OF OPERATOR		7						
1000 VAUGHI	N BUILDING/MIDLA	10. FIELD AND POOL, O	R WILDCAT					
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements, the						UNDESIGNA'	TED ABO	
At surface 1650	O' FSL & 1875' I	FWL NE/4 S	SW/4		· / ·	11. SEC., T., R., M., OR E AND SURVEY OR AR	BLK. EA	
At proposed prod. zone			Į	过. 代	SEC 18, T	7S, R23E		
14. DISTANCE IN MILES A	ND DIRECTION FROM NEAR	12. COUNTY OR PARISH	13. STATE					
25 miles No	orthwest of Rosv	CHAVES	NEW MEXICO					
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) 1980'/660'					OF ACRES ASSIGNED HIS WELL			
					160			
18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1320*			19. PROPOSED DEPTH 20. ROT.		RY OR CABLE TOOLS			
					ROTARY			
21. ELEVATIONS (Show whe			22. APPROX. DATE WO	RK WILL START*				
4102' GR						JUNE 25, 1982		
23,	P	ROPOSED CASI	NG AND CI	EMENTING PROGR	AM			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	00Т	OOT SETTING DEPTH		QUANTITY OF CEMENT		
12 1/4"	8 5/8"	24#		1400'		700/300 SURFACE		
7 7/8"	4 1/2"	10.5#		3500'		COVER_ABO		

Propose to drill 12 1/4" hole to approximately 1400' to set 8 5/8" surface casing and cement to surface. Will nipple up ram type BOP's and reduce hole to 7 7/8" to drill to total depth. Drilling medium will be air, foam, or mud as required. After log evaluation, 4 1/2" casing may be run and cemented with sufficient kinds and amounts to isolate and seal off any fresh water, oil or gas zones encountered.

Operator's Gas Sales are dedicated.

OIL & GAS U.S. GEOLOGICAL SURVEY

XC: MMS (7), TLS, CEN RCDS, ACCTG, MEC, LAND, ROSWELL, REM, FILE, (PARTNERS IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout

Pre-tensor programme and the second s		
SIGNED REMARKS	REGULATORY COORDINATOR	5-18-82
(This space for Federal or State of CROSE		
MAY 8 1 1802	APPROVAL DATE	
CONDITIONS OF APPROVAL IF ANXES A. CHLISTAN  CONDITIONS OF APPROVAL IF ANXES A. CHLISTAN  CISTRICT SUPERVISOR	6	DATE

## OIL CONSERVATION DIVISION

## P. O. DOX 2088

Form C-102

STATE OF NEW MEXICO SANTA FE, NEW MEXICO 87501 ENERGY AND MINERALS DEPARTMENT All distances must be from the outer boundaries of the Section. Well No. #7 Operator China Federal Mesa Petroleum Co. County 11ang# Township Section Unit Letter Chaves 23 East 7 South 18 Actual l'astage Location of Well; South 1650 feet from the West 1875 line and feet from the Dedicated Acreoge: Pool Producing Fermation Ground Level Elev. SW/4 UNDESIGNATED PROPERTY 4102 AB0 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? If answer is "yes," type of consolidation \_ If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Division. CERTIFICATION I hereby certify that the information contoined herein is true and complete to the Sec. 18, T.7 S., R.23 E., N.M.P.M. best of my knowledge and belief. Position REGULATORY COORDINATOR Company MESA PETROLEUM CO. MAY 18, 1982 I hereby certify that the well location shown on this plut was platted from field notes of octual surveys made by me or under my supervision, and that the some is true and correct to the best of my 1875' knowledge and belief. MESA ET AL Date Sur May NM-36648

1000

18A0 2310

## APPLICATION FOR PERMIT TO DRILL

MESA PETROLEUM CO.
CHINA FEDERAL #7

1650 FSL & 1875 FWL, SEC 18, T7S, R23E
CHAVES COUNTY, NEW MEXICO

LEASE NO. NM-36648

In conjunction with Form 9331-C, Application For Permit to Drill subject well, the following additional information is provided:

- 1. Applicable portions of the GENERAL REQUIREMENTS FOR OIL AND GAS OPERATIONS ON FEDERAL LEASES, Roswell District, Geological Survey of September 1, 1980 will be adhered to.
- 2. Geological markers are estimated as follows:

SEVEN RIVERS	Surface
SAN ANDRES	Surface
GLORIETA	544
TUBB	740'
ABO	2788 <b>'</b>

- 3. Hydrocarbon bearing strata may occur in the Abo formation(s). No fresh water is expected to be encountered below 1400'.
- 4. The Casing and Blowout Preventer Program will be determined by hole conditions as encountered. See Exhibit VI. Anticipate drilling with air or foam using ram type preventer and rotating head for well control. The 8 5/8" casing will be set at approximately 1400' to protect any fresh water zones and cemented to the surface. The 4 1/2" production casing will be set at total depth or shallower depending upon the depth of the deepest commercial hydrocarbon bearing strata encountered. Sufficient amounts and kinds of cement would be used to ensure any water, gas, or oil zones encountered are isolated and shut off down to the casing point if run.
- 5. No drill stem test or coring program is planned. The logging program may consist of a GR-CNL from surface total depth and FDC from casing point to total depth.
- 6. Anticipated drilling time is ten days with completion operations to follow as soon as a completion unit is available.