

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to develop a well or to back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other ☐ **OCT 18 1982**  
2. NAME OF OPERATOR **MESA PETROLEUM CO.**  
3. ADDRESS OF OPERATOR **ARTESIA, OFFICE**  
**1000 VAUGHN BUILDING/MIDLAND TX 79701-4493**  
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
**660' FNL & 560' FEL**  
AT SURFACE:  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH: **SAME**

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) TD, 4 1/2" csg & cmt <input type="checkbox"/>	<input type="checkbox"/>

5. LEASE **NM-36648**  
6. IF INDIAN, ALLOTTEE OR TRIBE NAME  
7. UNIT AGREEMENT NAME  
8. FARM OR LEASE NAME **CHINA FEDERAL**  
9. WELL NO. **8**  
10. FIELD OR WILDCAT NAME **UNDESIGNATED ABO**  
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA **SEC 19, T7S, R23E**  
12. COUNTY OR PARISH **CHAVES** 13. STATE **NEW MEXICO**  
14. API NO.  
15. ELEVATIONS (SHOW DF, KDB, AND WD) **4090' GR**

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Drilled 7 7/8" hole to TD of 3107' with air on 6-11-82. Ran 75 jts 4 1/2", 10.5#, K-55 casing set at 3105'. Cemented with 350 sxs Class "C" + 5#/sx KCL + 3/10% Halad-4 + 2/10% CFR-2. PD at 11:30 PM, 6-11-82. Cement did not circulate. Released rig at 6:00 AM, 6-12-82. WOCU.

XC: MMS (7), TLS, CEN RCDS, ACCTG, MEC, ROSWELL, REM, FILE, (PARTNERS )

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct. **REGULATORY COORDINATOR 6-14-82**

SIGNED **R. E. Math** TITLE \_\_\_\_\_ DATE \_\_\_\_\_

APPROVED BY \_\_\_\_\_ (ORIG. SGD.) **DAVID R. GLASS**  
CONDITIONS OF APPROVAL, IF ANY: \_\_\_\_\_ DATE \_\_\_\_\_

**OCT 15 1982**

U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO

**RECEIVED**  
**JUN 16 1982**  
OIL & GAS  
U.S. GEOLOGICAL SURVEY  
ROSWELL, NEW MEXICO