| Form 9-331 C (May 1963) | DEPARTMENT | NM 88210 ED STATES | NTERIO | SUBMIT IN TH (Other instruc reverse si | ci. 4 on | Form approve Budget Bureau 30-005-0 5. LEASE DESIGNATION NM-36648 | No. 42-B1425. |
|---|--|-----------------------|------------|--|--|---|----------------|
| | N FOR PERMIT T | O DRILL, D | DEEPEN, | OR RELEASE | ACK | 6. IF INDIAN, ALLOTTEE | OR TRIBE NAME |
| 1a. TYPE OF WORK | LL 🖄 | DEEPEN | | PLUG BA | _ | 7. UNIT AGREEMENT N. | AME |
| | ELL OTHER | | SINGLE | X ZONE | | 8. FARM OR LEASE NAM | |
| 2. NAME OF OPERATOR MESA PETRO | LEUM CO. | | | O. C. D. AMESIA, OFFICE | | ERAL | |
| 3. ADDRESS OF OPERATOR | N DULL DING (MIDI | | 70703 | 7.03 | | 14 10. FIELD AND POOL. O | P WII DCAT |
| 4. LOCATION OF WELL (R | N BUILDING/MIDLA eport location clearly and O'FSL & 990'F1 | in accordance wit | | requirements.*) | 382 ··· | 11. SEC., T., B., M., OF F AND SUBVEY OF AB | TED ABO |
| At proposed prod. zor | SAME | | 5 | ů l | NIT | SEC 19, T | 7S, R23E |
| 14. DISTANCE IN MILES | AND DIRECTION FROM NEAR | EST TOWN OR POS | T OFFICE* | US. CEOCOGE | as Al ruevey | 12. COUNTY OR PARISH | 13. STATE |
| 26 miles N | orthwest of Rost | vell, New M | lexico | COSWELL NEW | ANEXICO | CHAVES | NEW MEXICO |
| 15. DISTANCE FROM PROPOSED" LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig, unit line, if any) 2310'/990' | | | | ACRES IN LEASE | 17. NO. OF ACRES ASSIGNED TO THIS WELL 160 | | |
| 18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1985' | | | 19. PROPOS | 3400' ROTARY | | | |
| 21. ELEVATIONS (Show wh | ether DF, RT, GR, etc.) | | | | | 22. APPROX. DATE WO | BK WILL START* |
| 3962' GR | | | | | | JUNE 25, | 1982 |
| 23. | P | ROPOSED CASH | NG AND CE | MENTING PROGR | АМ | | |
| SIZE OF HOLE | SIZE OF CASING | WEIGHT PER F | 00T | SETTING DEPTH | | QUANTITY OF CEMENT | |
| 12 1/4" | 8 5/8" | 24# | | 1400' | 700/ | 300 SURFACE | |
| 7 7/8" | 4 1/2" | 10.5# | | 34001 | | COVER ALL 1 | PAY |
| | | | ł | | | | |

Propose to drill 12 1/4" hole to approximately 1400' to set 8 5/8" surface casing and cement to surface. Will nipple up ram type BOP's and reduce hole to 7 7/8" to drill to total depth. Drilling medium will be air, foam, or mud as required. After log evaluation, 4 1/2" casing may be run and cemented with sufficient kinds and amounts to isolate and seal off any fresh water, oil or gas zones encountered. Ted V Bark

Operator's Gas Sales are dedicated.

XC: MMS (7), TLS, CEN RCDS, ACCTG, MEC, LAND, ROSWELL, REM, FILE, (PARTNERS) IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

| SIGNED R. H. Mart | REGULATORY COORI | DINATOR 6-4-82 |
|---|------------------|----------------|
| (This space for Federal or State office use) (Orig. Sgd.) GEORGE H. STEWAR." | | |
| JUN 1 8 1982 | APPROVAL DATE | DATE |
| CONDITIONS OF APPROVAL IF ANX ALMOC AL JAMES A. GILLAAM DISTRICT SUPERVISOR | prouge Konnor | r-370 Loc. |

P. O. BOX 2088 ENERGY AND MINERALS DEPARTMENT SANTA FE, NEW MEXICO 87501

& L.S.

| Unit Letter I Actual Fastuge Location 2310 re- Ground Level Elev. 3962 1. Outline the act 2. If more than a | Producting For ABO | South | 7 S. | 11 ung | China F | | | 14 |
|---|---|--------------|-------------------------------|---------------------|-------------------|-------------|---|--|
| Unit Letter I Actual Footuge Location 2310 rec Ground Level Elev. 3962 1. Outline the actual 2. If more than a | tion 19 of Well; et from the Producting For ABO | | 7 S. | Hung | ;• | 10- | | |
| Actual Fastage Location 2310 re- Ground Level Elev. 3962 1. Outline the ac 2. If more than a | of Well; et from the Producting For ABO | South | 7 S. | (| | County | r | |
| 2310 re- Ground Level Elev. 3962 1. Outline the ac 2. If more than a | Producting For ABO | South | | | 23 1 | el | Chaves | |
| 2. If more than o | Producting For ABO | South | | | | | | |
| 3962 1. Outline the ac 2. If more than a | ABO | JOULII | Hise and | | <u>990 tr</u> | et from the | | line |
| Outline the ac If more than a | | notion | 1 | Poul | | | 1 | licated Acreage: |
| 2. If more than o | | | | UNDES | NDESIGNATED / SE/ | | | 14 160 Acres |
| | | | | | | | | |
| interest and ro 3. If more than or dated by comm | oyalty). ne lease of d unitization, u | ifferent own | nership in de force-poolin | edicated g. etc? | | have the | interests of all | owners been consoli- |
| this form if nec No allowable w | no;' list the cessary.) till be assignd | owners and | tract descri | ptions v | which have a | ctually be | ted (by commun | . (Use reverse side of itization, unitization, roved by the Division |
| | | . 19, T.7 | 7 S., R.23 | E. | N.M.P.N | 1. | I hereby certify tained herein I best of my kno K- Name R. E. MATH Position | COORDINATOR |
| • | | | MESA NM 366 | | | | shown on this j notes of actua under my super is true and co knowledge and | JAQUE |

1

1

А

.

Atticute

0

U

42 ______ -. 1320 1680 1986 2310 2640 2000 1 300 1000 600 .

1

<u>___</u>

000

> > 0

4

• 0

APPLICATION FOR PERMIT TO DRILL

MESA PETROLEUM CO. CHINA FEDERAL #14 2310' FSL & 990' FEL, SEC 19, T7S, R23E CHAVES COUNTY, NEW MEXICO

LEASE NO. NM-36648

In conjunction with Form 9331-C, Application For Permit to Drill subject well, the following additional information is provided:

1. Applicable portions of the <u>GENERAL REQUIREMENTS FOR OIL AND GAS</u> <u>OPERATIONS ON FEDERAL LEASES</u>, Roswell District, Geological Survey of September 1, 1980 will be adhered to.

| 2. | Geological markers are | estimated as follows: |
|----|------------------------|-----------------------|
| | SEVEN RIVERS | Surface |
| | SAN ANDRES | |
| | GLORIETA | 442 |
| | TUBB | 1992 |
| | ABO | 2733 |

3. Hydrocarbon bearing strata may occur in the Abo formation(s). No fresh water is expected to be encountered below 1400'.

4. The Casing and Blowout Preventer Program will be determined by hole conditions as encountered. See Exhibit VI. Anticipate drilling with air or foam using ram type preventer and rotating head for well control. The 8 5/8" casing will be set at approximately 1400' to protect any fresh water zones and cemented to the surface. The 4 1/2" production casing will be set at total depth or shallower depending upon the depth of the deepest commercial hydrocarbon bearing strata encountered. Sufficient amounts and kinds of cement would be used to ensure any water, gas, or oil zones encountered are isolated and shut off down to the casing point if run.

5. No drill stem test or coring program is planned. The logging program may consist of a GR-CNL from surface total depth and FDC from casing point to total depth.

6. Anticipated drilling time is ten days with completion operations to follow as soon as a completion unit is available.

-