

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug a well in a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other ☐

2. NAME OF OPERATOR

DEPCO, Inc.

3. ADDRESS OF OPERATOR

ARTESIA, OFFICE

800 Central, Odessa, Tx 79761

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: A-660 FN & EL, SEC. 19, T-5-S,
AT TOP PROD. INTERVAL: R-25-E
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) Spud & set csg.

SUBSEQUENT REPORT OF:

☒

☐

☐

☐

☐

☐

☐

☐

Oil & Gas
MINERALS MGMT. SERVICE

17. DESCRIBE PROPOSED OR COMPLETED OPERATION (Include pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1-6-83: Drld 14 3/4" hole to 1006'. Ran 26 jts. 10 3/4" 40.50#. J-53 Csg.
Set @ 1005'. Cmtd w/500 sx. Howco Lite w/1/4# Flocale & 2% CaCl
per sx followed w/200 sx Class "C" w/2% CaCl. Plug down @ 3:00 a.m.,
1-7-83. Circ 200 sx. WOC.

1-7-83: Tested pipe & BOP @ 1000# for 30 mins. Tested O.K.

1-8-83: Lost circ. spotted 135 sx cmt plug @ 1350'. Spotted 135 sx cmt plg @ 1160'./

1-9-83: Spotted 135 sx cmt plug @ 1098'. WOC.

1-11-83: Set plug @ 1181'. Pumped 100 sx Class "C" cmt w/4% CaCl. Plug down @ 1:00 p.m. WOC.

1-12-83: Set pkr @ 950'. squeezed w/150 sx Quick Set w/1/4# Flocale & 4% CaCl followed w/100 sx Class "C" w/4% CaCl & 1/4# Flocale. PD @ 3:00 p.m. Squeezed 2nd plug w/50 sx. Class "C" w/10# Gilsomite & 2% CaCl followed w/100 sx Class "C" w/2% CaCl. PD @ 8:00 p.m.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

R. L. Denney

TITLE

Chief Prod Clerk

DATE

1-26-83

ACCEPTED FOR RECORD

(This space for Federal or State office use)

(ORIG. SGD.) DAVID R. GLASS

APPROVED BY
CONDITIONS OF APPROVAL

JAN 28 1983

TITLE

DATE

CONTINUED ON PAGE 2

MINERALS MANAGEMENT SERVICE

FOSWELL, NEW MEXICO

*See Instructions on Reverse Side


Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

GPO : 1981 0 - 347-166



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

NM OIL CON. COMMISSION Form Approved.
Drawer DD Budget Bureau No. 42-R1424
Artesia, NM LEASE 89210

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

RECEIVED

1. oil ☐ gas ☒ other ☐

2. NAME OF OPERATOR
DKPCO, Inc.

3. ADDRESS OF OPERATOR
800 Central, Odessa, TX 79761

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: A-660 PN & EL, Sec. 19, T-5-S,
AT TOP PROD. INTERVAL: R-25-E
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

☒
☐
☐
☐
☐
☐
☐
☐
☐
☐

(NOTE: Report results of multiple completion or zone fracture on Form 9-330.)

1983

MINERALS MGMT. SERVICE
ROSWELL, NEW MEXICO

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1-18-83: Drld 7 7/8" hole to 4210', TD. Ran 105 jts. 4 1/2" 10.50# J-55 csg. Set @ 4209' w/DV tool @ 2298'. Cmtd w/375 ex 50-50 Pozmix w/5# salt, .3 of 1X CFR-2, .3 of 1X Halid 4. PD @ 6:30 a.m., 1-19-83.
1-19-83. Cmtd 2nd stage w/400 ex Howco Lite w/5# salt p/ex. followed w/500 exs 50-50 Pozmix w/5# salt p/ex. PD @ 11:30 a.m.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED R. L. Denny Chief Prod. Clerk DATE January 26, 1983
ACCEPTED FOR RECORD

(ORIG. SGD.) DAVID R. GLASS (This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL _____

MINERALS MANAGEMENT SERVICE
ROSWELL, NEW MEXICO

See Instructions on Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 17: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between, and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

GPO : 1981 O - 347-166

