

UNITED STATES **Artesia, NM 88210**  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUNDRY NOTICES AND REPORTS ON WELLS**

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☐ well other ☐ PLUGGED WELL
2. NAME OF OPERATOR  
DWIGHT A. TIPTON ✓
3. ADDRESS OF OPERATOR  
P.O. BOX 1597, LOVINGTON, NEW MEXICO 88260
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 1980' FSL & 1855' FEL OF SEC. 29  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐

SUBSEQUENT REPORT OF:

- ☐  
☐  
☐  
☐  
☐  
☐  
☐  
☐

(other) SET SURFACE CASING. PROGRESS REPORT

5. LEASE

NM-16094

6. IF INDIAN, ALLOTTEE OR **RECEIVED**

7. UNIT AGREEMENT NAME

JAN 12 1983

8. FARM OR LEASE NAME

HAGERMAN 29 FEDERAL.

9. WELL NO.

ARTESIA, OFFICE

2

10. FIELD OR WILDCAT NAME

WILDCAT

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

SEC. 29, T. 14 S., R. 27 E.

12. COUNTY OR PARISH

CHAVES

13. STATE

NEW MEXICO

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

3434.6 GR

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

6-2-82: Spudded well 12:30 PM.

Drilled to total depth of 313 feet. Ran and set 8-5/8", 24#, K-55 casing at depth of 313 feet. Cemented with 250 sacks of Class "C" cement. Circulated 20 sacks to pit. Plug down 1:00 PM 6-3-82.

Drilled to total depth of 990'. Encountered lost circulation zone at 724-728 feet. Could not maintain circulation.

7-10-82: Preparing to plug and abandon.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Arthur R. Tipton TITLE Agent DATE December 27, 1982

(ORIG. SGD.) DAVID R. GLASS

APPROVED BY  
CONDITIONS OF

APPROVAL OF ANY:

JAN 11 1983

MINERALS MANAGEMENT SERVICE

POSWELL, NEW MEXICO

\*See Instructions on Reverse Side

**RECEIVED**

JAN 4 1983