

DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐

2. NAME OF OPERATOR  
Robert N. Enfield

3. ADDRESS OF OPERATOR  
P.O. Box 2431, Santa Fe, NM 87501

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
AT SURFACE: 2310' FNL & 330' FEL of Sec. 27  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐  
FRACTURE TREAT ☐  
SHOOT OR ACIDIZE ☐  
REPAIR WELL ☐  
PULL OR ALTER CASING ☐  
MULTIPLE COMPLETE ☐  
CHANGE ZONES ☐  
ABANDON\* ☐  
(other) ☐

☐  
☐  
☐  
☐  
☐  
☐  
☐  
☒

5. LEASE  
NM-18493

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME  
Federal "27"

9. WELL NO.  
1

10. FIELD OR WILDCAT NAME  
Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 27, T9S, R29E

12. COUNTY OR PARISH  
Chaves

13. STATE  
NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)  
4017.8

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

RECEIVED  
AUG 30 1983  
10 30 AM

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Total Depth was reached 8/18, 1983 @ 1448'  
The well was determined to be a dry hole.

Plugging Operations:

Plug No. 1 10 sx Class C cement from 1398' - 1448' calculated 50'  
Plug No. 2 10 sx Class C cement from 1121' - 1171' calculated 50'  
Plug No. 3 20 sx Class C cement from 820' - 850' calculated 50'  
Plug No. 4 20 sx Class C cement from 485' - 585' calculated 100'  
Surface 10 sacks  
Halliburton used a total of 70 sx Class "C" cement.  
Released rig 8/20/83.

Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Robert N. Enfield TITLE Operator DATE 8/29/83  
Robert N. Enfield  
(This space for Federal or State office use)

APPROVED BY PETER V. CHESTER DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

NOV 10 1983

1007 TD-3  
11-10-83  
11A