

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

State	Fe
BLM	
Land Office	
B of M	
Geological	NO

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

30-005-62696

5. Indicate Type of Lease
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.
LG-6677

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☐ GAS WELL ☒ OTHER

RECEIVED

2. Name of Operator
YATES PETROLEUM CORPORATION

3. Address of Operator
105 South 4th St., Artesia, NM 88210

4. Well Location
Unit Letter N : 660 Feet From The South Line and 1980 Feet From The West Line
Section 14 Township 7S Range 23E NMPM Chaves County

7. Lease Name or Unit Agreement Name

West of Eden Unit

8. Well No.

1

9. Pool name or Wildcat

West Pecos Slope Abo

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
3867.5' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☒ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☒
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded 26" hole 10:00 AM 5-30-89. Set 40' of 20" conductor. Notified NMOCD, Artesia, NM, of spud. Resumed drilling 12-1/4" hole 10:00 AM 6-1-89. Lost circulation 374'. Dry drilling. Ran 24 jts 8-5/8" 24# J-55 ST&C casing set 1028'. Guide shoe set 1028', insert float set 985'. Cemented w/375 sx Class C w/10% Thixad, 1/2# Celloseal+2% CaCl2. (yield 1.37, weight 14.8). Tailed in w/150 sx Class C + 2% (yield 1.37, weight 14.8). PD 3:45 PM 6-1-89. Bumped plug to 1500 psi, released pressure, held OK. Cement did not circulate. WOC 5 hrs. Ran Temp. Survey - TOC 600'. Ran 1". Tag cement 556'. Spot 50 sx Cl C+9% CaCl2. PD 10:30 PM 6-1-89. WOC 1/2 hr. Ran 1". Tag cement 500'. Spot 50 sx Cl C+7% CaCl2. PD 12:30 AM 6-2-89. WOC 1/2 hr. Ran 1". Tag cement 500'. Spot 50 sx Cl C+7% CaCl2. PD 2:15 AM 6-2-89. WOC 1 hr. Ran 1". Tag cement 516'. Spot 50 sx Cl C+7% CaCl2. PD 3:30 AM 6-2-89. WOC 5 hrs. Ran 1". Tag cement 469'. Spot 50 sx Cl C+7% CaCl2. PD 8:45 AM 6-2-89. WOC 2-1/4 hrs. Ran 1". Tag cement 280'. Spot 50 sx Cl C+7% CaCl2. PD 11:30 AM 6-2-89. WOC 1-1/4 hrs. Ran 1". Tag cement 200'. Spot 200 sx Cl C Neat. PD 1:00 PM 6-2-89. Circ. 10 sx to pit. WOC. Drilled out 11:15 PM 6-2-89. WOC 31 hrs 30 mins. NU and tested to 1000psi for 30 mintues, held OK. Reduced hole to 7-7/8". Drilled plug and resumed drilling.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Juanita Goodlett TITLE Production Supervisor DATE 6-5-89
TYPE OR PRINT NAME Juanita Goodlett TELEPHONE NO. 505/748-1471

(This space for State Use)

ORIGINAL SIGNED BY
MIKE WILLIAMS

APPROVED BY _____ TITLE _____ DATE JUN 9 1989

CONDITIONS OF APPROVAL, IF ANY: