

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Santa Fe	
File	
BLM	
Land Office	
B of M	
Operator	

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-005-62696
5. Indicate Type of Lease	STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.	LG-6677

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	RECEIVED
2. Name of Operator YATES PETROLEUM CORPORATION	JUN 19 '89
3. Address of Operator 105 South 4th St., Artesia, NM 88210	O. C. D.
4. Well Location Unit Letter N : 660 Feet From The South Line and 1980 Feet From The West Line Section 14 Township 7S Range 23E NMPM Chaves County	ARTESIA, OFFICE
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: Squeeze 1st perms, perforate, treat <input checked="" type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

6-14-89. Set cement retainer 3134'. Squeezed perforations 3193-3242' w/400 sx Class C w/2% CaCl2 + .2% CFR-3 to 1500 psi w/90 sx cement in formation. Spot 1000 gals 7½% HCL at 3035'. Perforated 2998-3017' w/10 .40" holes as follows: 2998, 99, 3000, 01, 02, 03, 04, 15, 16 and 3017'. Frac'd perms 2998-3017' (via 4½" casing) with 20000 gals 30# gelled KCL water + 35000# 20/40 sand.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Juanita Goodlett TITLE Production Supervisor DATE 6-16-89
TYPE OR PRINT NAME Juanita Goodlett TELEPHONE NO. 505/748-1471

(This space for State Use)

APPROVED BY DATE JUN 21 1989
CONDITIONS OF APPROVAL, IF ANY: