

Submit to Appropriate
District Office
State Lease - 6 copies
For Lease - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Form C-105
Revised 1-1-89

dst
Blm
sta
Ad
Bm

WELL API NO. 30-005-62774
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. LG 7426
7. Lease Name or Unit Agreement Name McBride State Com.
8. Well No. 2
9. Pool name or Wildcat Diablo Fusselman

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well: OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐	RECEIVED
b. Type of Completion: NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF RESVR ☐ OTHER ☐	APR 23 '90

2. Name of Operator Stevens Operating Corporation ✓	C. C. D.
3. Address of Operator P. O. Box 2408, Roswell, New Mexico 88202	ARTESIA, OFFICE
4. Well Location Unit Letter <u>B</u> : <u>660</u> Feet From The <u>North</u> Line and <u>2220</u> Feet From The <u>East</u> Line Section <u>28</u> Township <u>10S</u> Range <u>27E</u> NMPM Chaves County	

10. Date Spudded 3/1/90	11. Date T.D. Reached 4/19/90	12. Date Compl. (Ready to Prod.) 4/20/90	13. Elevations (DF & RKB, RT, GR, etc.) 3813 GR, 3821 KB	14. Elev. Casinghead 3813'
15. Total Depth 6382'	16. Plug Back T.D. 6377'	17. If Multiple Compl. How Many Zones? 	18. Intervals Drilled By Rotary Tools 0-TD	Cable Tools
19. Producing Interval(s), of this completion - Top, Bottom, Name 6352-6377 - Fusselman				20. Was Directional Survey Made Yes 4/21/90
21. Type Electric and Other Logs Run Gamma Ray/CNL Density, DLL/micro FSL				22. Was Well Cored Yes Sidewall core

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
14"		31'	18"	to surface	
9 5/8"	36#	1017'	12 1/4"	385 sxs, 2 yds redi mix	
7"	23#	6352'	8 3/4"	1600 sxs	
			6 1/4" 6370-6382		

24. LINER RECORD				25. TUBING RECORD			
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8	6342'	6342'

26. Perforation record (interval, size, and number) Open hole completion	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
	DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
	natural completion	

28. PRODUCTION							
Date First Production 4/20/90		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing	
Date of Test 4/20/90	Hours Tested 6	Choke Size 0/64-24/64	Prod'n For Test Period	Oil - Bbl. 104	Gas - MCF 41	Water - Bbl. 8 filtrate	Gas - Oil Ratio 396-1
Flow Tubing Press. 530#	Casing Pressure pkr	Calculated 24-Hour Rate	Oil - Bbl. 416	Gas - MCF 165	Water - Bbl. 8 filtrate	Oil Gravity - API - (Corr.) 36	

29. Disposition of Gas (Sold, used for fuel, vented, etc.) To be sold	Test Witnessed By Bob Farmer
--	---------------------------------

30. List Attachments Gamma Ray/CNL Density, DLL/micro FSL Deviation Survey Core Description
--

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Patricia Greenwade Printed Name Patricia Greenwade Title Gen Mgr Date 4/21/90

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy _____	T. Canyon _____
T. Salt _____	T. Strawn _____
B. Salt _____	T. Atoka _____
T. Yates _____	T. Miss _____
T. 7 Rivers _____	T. Devonian _____
T. Queen _____	T. Silurian Fusselman 6276
T. Grayburg _____	T. Montoya _____
T. San Andres 1380	T. Simpson _____
T. Glorieta 2558	T. McKee _____
T. Paddock _____	T. Ellenburger _____
T. Blinebry _____	T. Gr. Wash _____
T. Tubb _____	T. Delaware Sand _____
T. Drinkard _____	T. Bone Springs _____
T. Abo 4818	T. _____
T. Wolfcamp 5572	T. _____
T. Penn _____	T. _____
T. Cisco (Bough C) 5852	T. _____

Northwestern New Mexico

T. Ojo Alamo _____	T. Penn. "B" _____
T. Kirtland-Fruitland _____	T. Penn. "C" _____
T. Pictured Cliffs _____	T. Penn. "D" _____
T. Cliff House _____	T. Leadville _____
T. Menefee _____	T. Madison _____
T. Point Lookout _____	T. Elbert _____
T. Mancos _____	T. McCracken _____
T. Gallup _____	T. Ignacio Otzte _____
Base Greenhorn _____	T. Granite _____
T. Dakota _____	T. _____
T. Morrison _____	T. _____
T. Todilto _____	T. _____
T. Entrada _____	T. _____
T. Wingate _____	T. _____
T. Chinle _____	T. _____
T. Permian _____	T. _____
T. Penn "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from 6352 to 6377	No. 3, from _____ to _____
No. 2, from _____ to _____	No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet
No. 2, from _____ to _____ feet
No. 3, from _____ to _____ feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	150	150	Sand and Shale				
150	370	220	Sand and Shale				
370	1380	1010	Anhydrite, Sand & Shale				
1380	2558	1172	Dolomite & Anhydrite				
2558	4818	2260	Sand, Shale & Anhydrite				
4818	5444	626	Shale & Anhydrite				
5444	5572	128	Dolomite & Shale				
5572	5852	280	Limestone & Shale				
5852	6270	418	Shale & Sand				
6270	6382	112	Dolomite				

ARTESIA FISHING TOOL COMPANY

P. O. BOX ~~244~~ 470 PHONE (505) 746-6651

ARTESIA, NEW MEXICO 88210

RECEIVED

APR 23 '90

O. C. D.
ARTESIA, OFFICE

April 17, 1990

Stevens Operating Corporation
PO Box 2408
Roswell, NM 88202


Re: McBride State #2
Sec. 28, T10S, R27E
Chaves County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
962'	1 1/4°
1491'	3/4°
1987'	3/4°
2483'	1/2°
2979'	3/4°
3508'	1/2°
4002'	1/2°
4464'	1°
4637'	1 1/2°
5178'	1 1/2°
5472'	2°
6070'	1 3/4°
6365'	3/4°


Very truly yours,



C. E. LaRue
President

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before me this 17th day
of April, 1990.


NOTARY PUBLIC