## Submit 3 Copies to Appropriate District Office

## State of New Mexico Enery finerals and Natural Resources Department

Form	C	-10	3
Revis	ed	1-1	-

DIST	RIC	Ľ			
P.O.	Box	1980.	Hobbs.	NM	88240

40

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

## OIL CONSERVATION DEVISION P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO. 30-005-62820

5. Indicate Type of Lease
STATE X FEE

	.001	SIAIE LA PEE LA		
DISTRICT III 1000 Rio Brazos Rd., Aziec, NM 87410	O. C. D. ARTESIA, OFFICE	6. State Oil & Gas Lease No. LG-5246		
SUNDRY NOTICES AND REPORTS ON WEL (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN DIFFERENT RESERVOIR. USE "APPLICATION FOR PER (FORM C-101) FOR SUCH PROPOSALS.)	OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name		
1. Type of Weil: OIL GAS WELL XX WELL OTHER		Pathfinder AFT State		
2 Name of Operator YATES PETROLEUM CORPORATION (505) 74	8-1471	8. Well No. 12		
<ol> <li>Address of Operator</li> <li>105 South 4th St., Artesia, New Mexico 882</li> </ol>	210	9. Pool name or Wildcat Diablo-Fusselman Associated		
4. Well Location  Unit Letter G: 2300 Feet From The North Line and 2214 Feet From The East Line				
Section 21 Township 10S Ra		NMPM Chaves County		
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3833' GR				
II. Check Appropriate Box to Indicate 1	Nature of Notice, R	eport, or Other Data		
NOTICE OF INTENTION TO:		SEQUENT REPORT OF:		
PERFORM REMEDIAL WORK PLUG AND ABANDON	REMEDIAL WORK	ALTERING CASING		
TEMPORARILY ABANDON CHANGE PLANS	COMMENCE DRILLING	OPNS. PLUG AND ABANDONMENT		
PULL OR ALTER CASING	CASING TEST AND CEMENT JOB			
OTHER:	OTHER: Squeeze	perfs, perforate, treat X		
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.  1. 26. 01. Acidized perforations 6377-6410' w/1500 gals 15% NEFE acid. Swab tested well.				

1-26-91. Acidized perforations 6377-6410' w/1500 gals 15% NEFE acid. Swab tested well. 2-1-91. Set retainer at 6345'. Squeezed perforations 6377-6410' w/75 sx Class C and 100

sx Class C Neat. Squeezed to 3100 psi, pressure held. WOC.

2-6-91. Drilled out cement to 6420' and circulated hole. Tested casing to 1000 psi for 15 minutes. Sand jet at 6400, 6401 (2 holes/ft) and 6407, 6408 (2 holes/ft).

2-8-91. Acidized perfs 6400-6408' w/1000 gals 15% NEFE acid + 500 gals 2% KCL water.

2-9-91. Recovered load. Well put on production.

I hereby certify that the information signature are	as above is true and complete to the best of my know	wiedge and belief.  TITLE Production S	
TYPE OR PRINT NAME Juan	ita Goodlett		TELEPHONE NO. 505/748-1471
(This space for State Use)	ORIGINAL SIGNED BY MIKE WILLIAMS		FEB 2 2 1991
AFTROVED BY	SUPERVISOR, DISTRICT IY		
CONDITIONS OF AFFROVAL, IF A	NT:		