## Submit 3 Copies to Appropriate District Office

OTHER:

## State of New Mexico Energy, Minerals and Natural Resources Department

Form C-103 Revised 1-1-89

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 875(RECENTED

| WELL API NO.                 |        |
|------------------------------|--------|
| 30-005-62900                 |        |
| 5. Indicate Type of Lease    |        |
| STATE                        | FEE XX |
| C. State Oil & Con Lance No. |        |

NOV 2 0 1992 1000 Rio Brazos Rd., Aztec, NM 87410 SUNDRY NOTICES AND REPORTS ON WELLS ( DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A 7. Lease Name or Unit Agreement Name DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) Type of Well: Geneva UI OAS WELL X WELL OTHER 2. Name of Operator 8. Well No. YATES PETROLEUM CORPORATION 3. Address of Operator 9. Pool name or Wildcat 105 South 4th St., Artesia, NM Pecos Slope Abo 4. Well Location Unit Letter E: 1980 Feet From The North 660 Feet From The West Line and 6S 25E Chaves Section Township **NMPM** Range County 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3856' GR Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data 11. NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK **ALTERING CASING CHANGE PLANS TEMPORARILY ABANDON** COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB XX **PULL OR ALTER CASING** 

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded 26" hole 9:30 AM 11-14-92. Set 40' of 20" conductor and redi-mix to surface. Resumed drilling 17-1/2" hole 3:15 PM 11-15-92. Ran 15 joints 13-3/8" J-55 54.5# casing set at 640'. Guide shoe set 640', insert float set 600'. Cemented w/350 sx H/L with 1# Flocele + 3% CaCl2 (yield 1.18, wt 12.7). Tailed in w/200 sx Class "C" w/2% CaCl2 (yield 1.32, wt 14.8). PD 5:30 PM 11-16-92. Bumped plug to 700 psi, float held OK. Circulated 69 sacks cement. WOC. Drilled out 7:30 AM 11-17-92. WOC 14 hours. NU and tested to 1000 psi for 30 minutes. Reduced hole to 12-1/4" and resumed drilling.

OTHER:\_

| I hereby certify that the information above is true and complete to the best of my knowledge and belief. |                                     |                                      |                                   |  |
|--|-------------------------------------|--------------------------------------|-----------------------------------|--|
| - 1 1  | enita Dander                        | mme Production Supervisor            | DATE 11-19-92                     |  |
| TYPE OR PRINT NAME   | Juanita Goodlett                    | ———————————————————————————————————— | <b>ТЕLЕРНОНЕ NO.</b> 505/748-1471 |  |
| (This space for State Use)   | ORIGINAL SIGNED BY<br>MIKE WILLIAMS |                                      | :<br>NOV <b>2 5 1992</b>          |  |

SUPERVISOR, DISTRICT IT