

M. Oil Cons. Division
811 S. 1ST ST.
ARTESIA, NM 88210-2834

C/SF

Form 3160-5
(June 1990)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.
NM-12557

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Duncan Fed #5

9. API Well No.

30-005-62901

10. Field and Pool, or Exploratory Area

Wolfe Lake San Andres

11. County or Parish, State

Chavez

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Jalapeño Corp / Cibola Energy

3. Address and Telephone No.

PO BOX 1668 Albuquerque, NM

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

NENW 18 9S 28E Nmpm

660/N 1650/W

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Other

Drilling Well

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Duncan Fed #5 has been drilled to 2340. Strip log attached. Oil encountered 2018-20, 2230-34 + 2316-22. Intention was to drill well through Slaughter into San Angelo at approximately 2650. However, significant water encountered in cable tool hole at 2340. Drilling suspended pending decision to move rotary on + drill through San Angelo or to run pipe complete in Slaughter.

14. I hereby certify that the foregoing is true and correct

Signed

Jimmy J. G. [Signature]

Title

President

Date

July 24, 1996

(This space for Federal or State office use)


Approved by

Conditions of approval, if any:

Title

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side



Duncan Fed #5
Cable Tool
SE Drilling

1996

GYP		
Lime		
Dolomite		
Sand		
Shale		
Anh		

1950

60

70

80

90

2000

10

20

20

40

2000

60

70

80

90

2100

10

20

30

POH

65 Gr Lm

+

GYP

75 Finer

Gr Lm

+

GYP

86 Coarse

Gr Lm

SI Gyp

Sample Missing

SI Flor

Dim. Any

SIW Acid

SI Flor

Shp Ring

Acid

08 Gr Lm

SI Gyp

140 Gr Lm

Oil hole

SI Flor

Shp Ring

SIW Acid

Flor

21 Gr Lm

BI Dol

27 Gr Lm

SI Dol

Oil color
dr. black

Shp Ring

SIW Acid

Out Flor

Shp Ring

SIW Acid

SI Dol

SI Gyp

DA Lm

42 Gyp

DA Lm

SI Dol

M Flor

Shp Ring

Acid

Rings

SI Dol Flor

SIW Acid

Shp Ring

40 Gr DA

Lm

Gyp

Dol

Out Flor

Shp Ring

Acid

76 Gr DA

Lm

DA Dol

Shp Ring

SIW Acid

Out Flor

91 Gr DA

Lm

GYP

SI Dol

M Flor

Shp Ring

Acid

Out Flor

Shp Ring

SIW Acid

SI Dol

Any

98 Gr DA

Lm

Any

GYP

04 Gyp

Gr Lm

SI Dol

Any

M Flor

Shp Ring

Acid

14 Anh

SI Lm

Sample Missing

Drilling

SI Lm

BI Dol

SI Flor

Shp Ring

22 Gr Lm Coars

GYP

Any

