

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

MAR 25 1993

Form C-105
Revised 1-1-89

C/SF
BLM
B/gm

WELL API NO. 30-005-62918
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT	
1a. Type of Well: OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐	
b. Type of Completion: NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF RESVR ☐ OTHER ☐	
2. Name of Operator Klabzuba Operating Company	
3. Address of Operator 930 West First St., Ft. worth, TX 76102	
4. Well Location Unit Letter <u>H</u> : <u>1310</u> Feet From The <u>East</u> Line and <u>1847</u> Feet From The <u>North</u> Line Section <u>13</u> Township <u>10S</u> Range <u>27E</u> NMPM Chaves County	
10. Date Spudded 1/16/93	11. Date T.D. Reached 2/16/93
12. Date Compl. (Ready to Prod.) 3/4/93	13. Elevations (DF& RKB, RT, GR, etc.) 3796 KB
14. Elev. Casinghead	
15. Total Depth 6562'	16. Plug Back T.D. 6562'
17. If Multiple Compl. How Many Zones? NA	18. Intervals Drilled By Rotary Tools 0-6562'
19. Producing Interval(s), of this completion - Top, Bottom, Name 6554-6562 Devonian	
20. Was Directional Survey Made No	
21. Type Electric and Other Logs Run Cased Hole GR-CNL	
22. Was Well Cored No	

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8	48	385	17 1/2	circ.	
8 5/8	24	1595	12 1/4	circ.	
5 1/2	15.5	6554	7 7/8	300 sx	

LINER RECORD				TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SIZE	DEPTH SET	PACKER SET
				2 3/8	6057	NA

26. Perforation record (interval, size, and number) Open Hole 6554'-6562'	27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
	DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
	6554-6562	500 gal. 15% NeFe

28. PRODUCTION							
Date First Production 3/5/93		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping, Rod pump 2"x1 1/2"x18"				Well Status (Prod. or Shut-in) Prod.	
Date of Test 3/24/93	Hours Tested 24	Choke Size NA	Prod'n For Test Period	Oil - Bbl. 74	Gas - MCF 46	Water - Bbl. 0	Gas - Oil Ratio 621
Flow Tubing Press. NA	Casing Pressure 35	Calculated 24-Hour Rate	Oil - Bbl. 74	Gas - MCF 46	Water - Bbl. 0	Oil Gravity - API - (Corr.) 47°	

29. Disposition of Gas (Sold, used for fuel, vented, etc.) Used for fuel & vented	Test Witnessed By Ron Waller
--	---------------------------------

30. List Attachments Mud Log, Cased Hole Log, Deviation Survey, DST
--

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature John M. Roberts Printed Name John M. Roberts Title Engineer Date 3/24/93

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy _____	T. Canyon _____
T. Salt _____	T. Strawn _____
B. Salt _____	T. Atoka _____
T. Yates _____	T. Miss 6464
T. 7 Rivers _____	T. Devonian 6554
T. Queen _____	T. Silurian _____
T. Grayburg _____	T. Montoya _____
T. San Andres 1587	T. Simpson _____
T. Glorieta _____	T. McKee _____
T. Paddock _____	T. Ellenburger _____
T. Blinberry _____	T. Gr. Wash _____
T. Tubb 4252	T. Delaware Sand _____
T. Drinkard _____	T. Bone Springs _____
T. Abo 5002	T. _____
T. Wolfcamp 5763	T. _____
T. Penn _____	T. _____
T. Cisco (Bough C)	T. _____

Northwestern New Mexico

T. Ojo Alamo _____	T. Penn. "B" _____
T. Kirtland-Fruitland _____	T. Penn. "C" _____
T. Pictured Cliffs _____	T. Penn. "D" _____
T. Cliff House _____	T. Leadville _____
T. Menefee _____	T. Madison _____
T. Point Lookout _____	T. Elbert _____
T. Mancos _____	T. McCracken _____
T. Gallup _____	T. Ignacio Otzte _____
Base Greenhorn _____	T. Granite _____
T. Dakota _____	T. _____
T. Morrison _____	T. _____
T. Todilto _____	T. _____
T. Entrada _____	T. _____
T. Wingate _____	T. _____
T. Chinle _____	T. _____
T. Permain _____	T. _____
T. Penn. "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology

From	To	Thickness in Feet	Lithology

ARTESIA FISHING TOOL COMPANY

P.O. BOX 470 • PHONE (505) 746-6651

ARTESIA, NEW MEXICO 88211-0470

February 24, 1993

Klabzuba Operating Company
Lexington Place
930 West First Place
Fort Worth, TX 76102

RECEIVED

MAR 25 1993

O. C. D.
NOTARY PUBLIC

RE: White #3
1847' FNL & 1310' FEL
Sec. 13, T10S, R27E
Chaves County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
113'	1°
200'	3/4°
294'	3/4°
385'	1°
872'	3/4°
1400'	1/2°
1595'	3/4°
2187'	1 3/4°
2719'	1 1/4°
3220'	1 1/4°
3721'	1°
4223'	1°
4720'	1°
5283'	1 1/4°
5601'	1/4°
6129'	3/4°
6308'	3/4°
6562'	3/4°


Very truly yours,



C. E. LaRue
President

STATE OF NEW MEXICO §
COUNTY OF EDDY §

The foregoing was acknowledged before
me this 24th day of February, 1993.


NOTARY PUBLIC

SEC 13 TWN 10 RGE 27

API # 30-015-62918

OPERATOR KLABZUBA OP

WELL NAME WHITE #3

STATE OGD TOPS AS PER MA

DATE 3-26-93

Southeastern New Mexico

Anyh	T. Canyon
Salt	T. Strawn
Salt	T. Atoka
Yates	T. Miss
7 Rivers	T. Devonian <u>6500</u>
Queen	T. Silurian
Grayburg	T. Monroya
San Andres <u>1600</u>	T. Simpson
Glorieta <u>2763</u>	T. McKee
Paddock	T. Ellenburger
Blinberry	T. Gr. Wash
Tubb <u>4250</u>	T. Delaware Sand
Drinkard	T. Bone Springs
Abo <u>5000</u>	T.
Wolfcamp <u>5620</u>	T.
Penn	T.
Cisco (Bough C)	T.

Northwestern New Mexico

T. Ojo Alamo	T. Penn. "B"
T. Kindred-Fruitland	T. Penn. "C"
T. Picured Cliffs	T. Penn. "D"
T. Cliff House	T. Leadville
T. Menefee	T. Madison
T. Point Lookout	T. Elbert
T. Mancos	T. McCracken
T. Gallup	T. Ignacio Ozne
Base Greenhorn	T. Granite
T. Dakota	T.
T. Morrison	T.
T. Todillo	T.
T. Escada	T.
T. Wingate	T.
T. Chinle	T.
T. Permian	T.
T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____ No. 3, from _____ to _____
 No. 2, from _____ to _____ No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet
 No. 2, from _____ to _____ feet
 No. 3, from _____ to _____ feet

REMARKS: